DECEMBER.



AMATEUR

AMATEUR RADIO

AMATEUR

AMATEUR



FROM THE MANAGEMENT & STAFF OF

AEGIS

Australia's Own Brand

HIGH-FIDELITY Featured left, from top to bottom are

AEGIS 5/10 ULTRA LINEAR BASIC AMP. AEGIS AMPLIFIER CONTROL UNIT AEGIS PRE-AMPLIFIER Mark 1 AEGIS PRE-AMPLIFIER Mark 2 AEGIS FIDELITY TUNER Mark 2 AEGIS FIDELITY TUNER Mark 1 incorporating its OWN POWER SUPPLY

ALSO AVAILABLE NOW!

AEGIS STEREOPHONIC CONTROL UNIT for correct Stereophonic coupling of two Aegis 5/10 Amplifiers. Ask for details.

AND REMEMBER . . .

AEGIS IS STILL AUSTRALIA'S LEADING MANUFACTURER OF RADIO COMPONENTS! AEGIS MIGHTY MIDGETS-COILS and LF's. AEGIS EXTENSION SPEAKERS AEGIS RADIO FILTERS AEGIS AERIAL FILTER SYSTEM, etc.

AEGIS TESTED PRODUCTS AVAILABLE FROM LEADING DEALERS IN ALL

208 LIT. LONSDALE ST., MELB. FB 3731

00.00 60000







AMATEUR RADIO

"HAM" RADIO SUPPLIERS

5A MELVILLE STREET, HAWTHORN, VICTORIA

North Balwyn Tram Passes Corner, near Vogue Theatre, Phone: WM 6465 Money Orders and Postal Notes payable North Hawthorn P.O. Packing Charge on all goods over 10 lbs, in weight, 5/- extra

NOTE THESE VALVE PRICES

	Look at	these Bargain	Priced NEW VA	LVES-
1B5	2/6	6J5 7/6	7W7 2/6	834 7/6
	3/6	6J5GT 7/6	12A6 10/-	866/DQ2 £1
	5/-	6J6 12/6	12AH7 7/6	958A 2/6
	2/6	6K6G 7/6	12H6 7/6	1629 5/-
	5/-	6L7 10/-	12J5 7/6	1851 5/-
105	5/-	6N7 10/-	12SA7 10/-	9001 2/6
1R5	10/-	6N8 15/-	12SC7 2/6	9006 5/-
1S5	10/-	6SF7 12/6	12SJ7 10/-	100TH 35/-
1T4	10/-	6SJ7GT 12/6	12SK7 10/-	AV11 2/6
2A5		6SL7 12/6	12SN7 12/6	EK32 10/-
2X2	7/6	6SN7GT 12/6	12SQ7 2/6	VR90 15/-
3Q5	5/-	6U7 10/-	12SQ7GT 2/6	VR100 5/-
5T4	12/6	6SH7G 4/-	12SR7 5/-	VR101 5/-
5U4G	12/6	6V6GT 12/6	45 5/-	VR102 5/-
5V4G	15/11	6X5 10/-	446A 15/-	VR103 5/-
6AG5	10/-	7A6 5/-	807 20/-	VR136/RL7
6AJ5	7/6	7A8 3/6	815 35/-	1/6
6A8G	12/6	7C5 5/-		VT50 2/6
6B4		7E5 2/6	829B £5	VT52 10/-
6C8	7/6	7E6 3/6	830B 20/-	VU39 2/6
107	3/- each	or 7 for £1	1 956 7/6 each	or 3 for £1

107 3/- each or 7 for £1 955 7/6 each or 3 for £1 282 7/6 each or 3 for £1 12827 1/0- each or 3 for £1 12827 1/0- each or 3 for £1 1625 3/- each or 5 for £1 664 5/- each or 3 for £1 1625 3/- each or 5 for £1 61666 2/- each or 10 for £1 61666 2/- each or 10 for £1 61666 2/- each or 10 for £1 627 3/- each or 6 for £1 627 3/- each or 5 for £1 8750 3/40 each or 5 for £1 627 3/- each or 5 for £1 72 3/- each or 5 for £1 8754 3/- each or 5 for £1 72 3/- each or 5 for £1 8754 3/- each or 5 for £1 8754 3/- each or 5 for £1 8754 3/- each or 5 for £1 9757 3/- each or 5

New Valves-VR53/EF39, direct replacement for 6U7. High gain, low noise. 5/- each or five for £1.
5CP1 5" Cathode Ray Tube
7BP7 7" Cathode Ray Tube £3/10/0

10/-

THIS MONTH'S SPECIALS 35 mm. Slide Projectors, well known make, 150w., 3 inch Lens,

NC13A 7 inch Cathode Ray Tube (similar VCR97) 30/-NUISA 7 inch Cathode Ray Tube (similar VCR97) 30/-5BP1 5 inch Cathode Ray Tube 35/-Transformers, potted, 63v., 5v., 385-0-385v., 125 mA. 45/-American 4 mfd. 1000v. Condensers Crystals, mounted in DC11 holders, £1 each. Frequencies available: 3410, 5710, 3956, 5880, 6900, 6240, 6243333, 6359, 6420, 8360, 8488, 8525, 8630, 8645.454 Kc.

BC455 and BC454 Command Receivers, air tested, with valves, 6 to 9.1 Mc., £5; 3 to 6 Mc., £6. BC733D Crystal Locked Receiver, tuning range 108-120 Mc.

IF. 6.9 Mc. Valve line-up; three 717As, two 12SG7s, one 12SH7, two 12SR7s, one 12SQ7, one 12A6. Also contains six miniature relays. Packed ready for rail. Bargain at £4/9/6 Electrolytic Condensers: 8 uF. 600v.w. (chassis mounting), 16 or £2/10/0 per carton of 20.

Miniature Variable Condensers, screwdriver adjustment, silver plated. Sizes available: 25 pF., 55 pF., 80 pF., 105 pF., or 110 pF. New condition. 7/6 each or Three for £1, 12/6 Two-Gang Condensers, Broadcast Three-Gang Condensers, AR8 High Frequency Type 15/-Four-Gang Condensers, approx. 150 pF. per section 15/-

No. 128 PORTABLE TRANSCEIVERS

Frequency range: 2 to 4.5 Mc. Nine miniature Valves (1.4v. series), 0-500 microamp, Meter. Less Crystals. BARGAIN: £7/7/6.

A.W.A. Transmitters, Mobile, freq. 33 Mc. Contains four type 6V6s, one 807 final. 6v. vibrator supply. Modulated. £7/10/0 AT21 Transmitters. Packed in case. New condition, £12/10/0 108 Mk. III. Portable Transceivers. Complete with Valves, Headphones, Mike. Freq. range: 7-9 Mc. Bargain £5

Headphones, Mike. Freq. range: 4-9 Me. Bargain 2.5 BBZ Transmitter, complete with valves, 12v. operation 2.15 AT5 Transmitters, as new, with valves & dust covers, £8/17/6 No. 19 Transceiver, complete with valves and genemotor. No Cables

And Antelectrial Compling Units, as new
Type "S" Power Supply, 230v, AC. Good condition £23
AT21 Power Supply, 230 volt AC. Good condition £23
AT21 Power Supply, 230 volt AC. Good condition £23
Commontors, Windcharger, 190, 23 amp, input, output 430v,
Co-ax Cable, 72 ohm, 2" diam, in 18-yd, lengths £1, or 2/-yd.
Co-ax Cable, 89 ohms, in 100 yard rolls. £7/10/0 per 190 yard roll, or 1/9 yard.

yard roll, o hom, any length 2/- yard Co-ax Cable, 100 ohm, any length 2/- yard Pi Type Co-ax Plugs and Sockets 4/- pair Command Receiver Flexible Drives, 12 ft. long 10/-Relays-522 type, 5000 ohm

Relays—522 type, 3000 onm Relays—522 type, areial change-over £1 U.S.A. I.F.F. Units, complete with Valves and Genemotor, £5/17/6. Less Genemotor, £4/17/6. AR8 Vernier Dials, new
APX1 24v. Shunt Motors, ideal for Small Beams. Works £1/10/0

on A.C., new APX1 Chassis, top deck, containing 28 Miniature Ceramic 7-pin Valve Sockets, Condensers, Resistors, etc., etc. A good buy at £2/5/0; postage 5/- extra Loctal Valve Sockets

... 1/- each 24 volt to 230 volt A.C. Inverters, approx, 50 watts £10

TO OUR MANY CLIENTS WE EXTEND THE COMPLIMENTS OF THE SEASON

Variable Transformers, adjustable voltages between 3 to 5

Variable Transformers, adjustable voltages between 3 to 5, 8 to 10, 14 to 18, 30 to 46v., at 10 amps. £50/00 \$\frac{2}{5}\$ Coil Formers, Plastic, with Tuning Slug 1/- each 2/- Coil Formers, Plastic, of 6d. each Midget Ceramic Trimmers, 5 to 55 pF. 1/- A.W.A. B.F.O. Type 4077, 10 cycles to 13 Kc. A.C. operated.

Condition as new £25 A.W.A. Valve Voltmeter, 1.5v. to 150v. A.C. operated. £15 I.F.F. I.F. Coils in Can, Type No. 358-1696, as used in the Transistor H.F. Portable in October 1958 issue "A.R." 5/-Three inch Speakers, well known make, new in carton, less

transformer English Filter Chokes, small type, 40 Ma., 100 ohm resist. 3/6 Shielded Wire, single, American Power Transformer, small, 265v. aside 60 Ma., 6.3v. 2.8 amp.;

200-225-250v. primary. Brand new
Meters—0-100 Ma. 2" souare, scaled 0-300, new
Meters—0-0.35 amp. R.F., FS6 and 101 type

P.M.G. Key Switches, two-way Two-way Toggle Switches, S.P.D.T. 1958 Call Books now in stock, 5/-. Also Log Books, 4/6.

Amateur Radio, December, 1958

£1 10/

10/0

5/- each

EDITOR:

R. W. HIGGINBOTHAM, VK3RN.

TECHNICAL EDITOR:

K. E. PINCOTT, VK3AFJ.

PUBLICATIONS COMMITTEE: G. W. BATY, VK3AOM,

- G. BILLS-THOMPSON, VK3AHN.
- S. T. CLARK, VK3ASC.
- J. C. DUNCAN, VK3VZ.
- R. S. FISHER, VK3OM.
- V. M. JONES, VK3YE.
- J. G. MARSLAND, VK3NY.

ADVERTISING REPRESENTATIVE:

BEATRICE TOUZEAU.

96 Collins St., Melbourne, C.1. Telephone: MF 4505.

"RICHMOND CHRONICLE," Shakespeare St., Richmond, E.1. Telephone: JB 2419.

MSS, and Magazine Correspondence should be forwarded to the Editor, "Amateur Radio," C.O.R. House, 191 Queen Street, Melbourne, C.1, on or before the 8th of each month.

Subscription rate in Australia is 18/- per annum, in advance (post paid) and A£1/1/- in all other countries.

Wireless Institute of Australia (Victorian Division) Rooms' Phone Number is MY 1087.

WI BROADCASTS

All Amateurs are urged to keep these requencies clear during, and for a period f 15 minutes after, the official Broadcasts.

VK2WI: Sundays, 1100 hours EST, simultan-eously on 3575 Kc., 7146 Kc., and 148.0 Mc. Intrastate call-backs taken on 7050 Kc. only at present.

VKSWI: Sundays, 1130 hours EST, simultan-eously on 3573 and 7146 Kc., 57.5 and 146.25 Mc. Intrastate working frequency 7135 Kc. Individual frequency checks of Amateur Stations given when VK3WI is on the air.

VK4WI: Sundays, 9900 hours EST, simultan-eously on 7146 Kc., 14.342 Mc. and 50.172 Mc. Country hook-up Sunday mornings 6900 hours. Please call VK-4ZM on 20 mx and Bruce VK4ZBD on VK5WI: Sundays, 1000 hours SAST, on 71

Kc. Frequency checks are given by VK5MD and VK5WI by arrangements on all bands to 56 Mc.

VK6WI: Sundays, 0930 hours WAST, on 7146 Kc. No frequency checks available. VKTWI: Sundays at 1000 hours EST, on 7146 Kc. and 3672 Kc. No frequency checks are available.

VK9WI: Sundays, 0830 hours EST, simultan-eously on 3650, 7146 and 14342 Kc. Individual frequency checks of Amaeur Stations given when VK9WI is on the sir.

AMATEUR RADIO

JOURNAL OF THE WIRELESS INSTITUTE OF AUSTRALIA

Published by the Wireless Institute of Australia, C.O.R. House, 191 Queen Street, Melbourne, C.1.

EDITORIAL.

NO SANTA CLAUS?

Nearly 60 years ago the Editor of the "New York Sun" received an unusual letter. It came from a small child, Victoria O'Hanlon, and commenced: "Dear Editor,

"I am eight years old, some of my friends say there is no Santa Claus. Please tell me the truth."

The "Answer to Virginia" as the editorial published in the "New York famous

Although basically directed to a child, it contained a theme which is universal in its application.

"The most real things in the world are those that neither children nor men can see. You can tear apart a baby's rattle and see what makes the noise inside, but there is a veil covering the unseen world which not the strongest man nor even the united strength of all the strongest men that ever lived could tear apart. Only faith, fancy, poetry, love, romance can push aside that curtain and view the supernatural beauty beyond."

How then are these "most real things" co-joined to Christmas? Down the annals of time, man has

mingled all of them with the seasonal festivities and for the want of a bet-ter name called the result, the Spirit of Christmas, the Spirit of Goodwill among men. It has mattered little whether the conveyor of tidings has been Santa Claus, Father Christmas, Father Frost, St. Nicholas or any rather Frost, St. Nicholas of any other, the theme has ever been the same—"Peace on Earth, Goodwill among Men." And following the lead, man in his humble way has echoed the refrain. But what of the Radio Amateur?

Perhaps he above all is especially privileged. Because his hobby knows not the bounds of physical or manmade barriers, his words, with their message reach the remotest spots of this earth. With his greeting, the Amateur conveys a sincere wish that those who hear him will delight in the Christmas Present and pros-per in Christmases Yet To Come. With words like these echoing from the void others will feel that they the void others will feel that they are included in the occasion and share in its joys. They are being caught by the intangible bond of friendship, that most real thing in the world, that binds men into a universal whole.

To all then, both within our Institute and without, SEASON'S GREETINGS. May this festive season be all that you wish and may your future he prosperous.

To everyone everywhere-A Merry Christmas.

FEDERAL EXECUTIVE.

THE CONTENTS

Quartz Crystal Filters, including Part Six of Modifying the AR7

Hints and Kinks: Connectors Using Film Reels as Capacitive

Hats Awards:

J.A.R.L. Awards Twenty-First B.E.R.U. Content

1958 Remembrance Day Contest Results National Field Day Contest 13


Book Review: V.h.f. Handbook Prediction Chart, Dec. '58 13


Extension of Use of the 50-54 Mc. Band

. 11 Contest Calendar 22 Obituary Obituary 25 Index to Volume 26—1958 28

Mullard **TELEVISION VALVES**

6R3 BOOSTER DIODE





6R3 CHARACTERISTICS

Heater Ratings

6.3V at 0.81A

TYPICAL OPERATING CONDITIONS 90° DEFLECTION Line Output Supply (Alternative Voltages) 200V 225V Anode Volts Peak 4400V 4400V

Anode Current Peak 275mA 260mA Anode Current DC 98mA 78mA

The 6R3 booster diode is mounted on a 9 pin miniature base with cathode top cap. It's high peak inverse voltage rating and cathode to heater insulation ensure a reasonable margin of safety in energy recovery circuits in television equipment. The valve ratings are more than sufficient to meet the demands of 90° deflection systems with an EHT of 18 KV. Additional data is available to design engineers on request.



Noval Base



ISSUED BY THE TECHNICAL SERVICE DEPARTMENT

MULLARD-AUSTRALIA PTY. LTD., 35-43 CLARENCE ST., SYDNEY, BX2006, & 592 BOURKE ST., MELBOURNE, MU2366 ASSOCIATED WITH MULLARD LTD., LONDON, MULLARD EQUIPMENT LTD., MULLARD OVERSEAS LTD.

QUARTZ CRYSTAL FILTERS

Including Part Six of Modifying the AR7 Receiver

whereas the quartz crystal filter trans-

whereas the quartz crystal filter trans-fers it from a nelectic field.
Basically, the wibraing quartz crys-common control of the control of the control of the circuit with an exceedingly high Q, due to its high elastic property. The elec-trical equivalent of its mass is the inductance, L, of its elasticity, the inductance, L, of the elasticity of the control of the control of the control of the cules, the resistance R, of a typical series L.C.R. circuit.

SECTION ONE

BY G. M. BOWEN,* VK5XU

TN order to align a crystal filter successfully some understanding of the cessfully some understanding of the basic principles involved is required, besides an enthusiasm and an abundance of patience. So for the sake of those younger Amateurs, who are usually much brighter than we are anyhow, a quick survey of the main

It is not generally known that Pierre Curie was one of the first scientists to effect of quartz crystals. He was able to show that the mechanical stressing of a piece of ground quartz crystal produced voltages of opposite polarity at the parallel faces.

at the parallel faces. These voltages were greatest when the slice was cut parallel to any of the crystallographic axes, the X, Y and Z axes as they are called. Modern BT, GT, etc., cuts are merely combinations of these three axes designed to reduce the effects of such poor properties avariation of frequency with temperature, discontinuity of oscillation, etc.

Fig. 2. C. (2 equal.

Hence, the less the motion is damped, the higher will be the Q for a given quartz slab. For best results then, the slab should be freely suspended in a vacuum, but since the former is impossible, quartz holders, when high frequency stability is required are made frequency stability is required are made so that the slab or bar is held between two screw points or suspended by thin wires. The electrodes consist of thin layers of aluminium, silver or gold, plated as evenly as possible to reduce the weight.

the weight.

In general, X-cut bars, approximately 20 mills, thick ‡ inch wide and 4 inch long are used in crystal filters of the type that this article centres around. They are included into a bridge-balance circuit which was first developed by Morrison, of the Bell Telephone Laboratories. Modifications to this type of circuit have since been made to introduce essential refinements such as variable rejection and variable

Reference to the various diagrams will disclose some of these modifica-tions, but there are many others which provide interesting reading.

The ARY crystal is mounted in a holder with a small air gap; the holder mounting and associated wiring naturally contributing to the value of the external capacitance (C₂). The SX28 crystal is enclosed in a specially designed polystyrene holder and the capacity

of the holder has been reduced to a minimum. The holder is wired directly into the circuit, thus further reducing the stray capacitance which lowers the efficiency of the filter. By spluttering the electrodes onto the

By splittering the electrodes onto the purallel faces or the crystal like value purallel faces or the crystal like value approaching 0.05 pF. This light value enables bandwidths of 5 to 10 to 4 to 10 to 1

out.
Figs. 1 to 5 should be studied carefully, together with the corresponding text before embarking on the task of aligning the filter.

ACTION OF THE PHASING CAPACITOR, Cp.

Fig. 5a shows the ideal condition for the action of a crystal filter circuit. The signal at 455 Kc. is passed and the side frequencies attenuated, but the skirt has frequencies attenuated, but the skirt has a large flare and the attenuation of strong adjacent signals is insufficient to reduce interference. However, the curve is symmetrical and this indicates that the crystal has no holder capacity or its value is neutralised in some way.

its value is neutralised in some way. In practice, the capacity of the holder C, can be as high as 20 pF, (which will include all associated wiring, etc.) and energy therefore will be passed on all frequencies as though only a 20 pF, capacitor coupling were used between the lift. and the grid of the lift tube. The 455 Kc. signal is passed as through a short circuit (Fig. 6).

To remove the unwanted feed-through via C., energy is fed via C, as shown in Fig. 1. The secondary of the i.f.t. has a low impedance winding of a couple of hundred turns and is centretapped to produce antiphase voltages at X and Y with respect to ground (Fig. 1). By adjusting C, to the same value as C, the same value of voltage, but in opposite phase, will appear at Z on all

frequencies. However with the crystal resonating

in series mode at 455 Kc. it will pro-vide a short circuit path as already indicated in Fig. 5a. In effect, the



Conversely, it was shown that if a

voltage was applied to electrodes on the voltage was applied to electrodes on the faces, distortion of the mass took place. Voltage pulses of short duration produced a damped mechanical oscillation with subsequent oscillating voltage out-puts across the pulsing circuit. The frequency of these depended upon the mass of the crystal and its various dimensions and was relatively free from external circuitry.

Finally early in the century, this resonant oscillation output voltage was applied to the control of radio frequency oscillators In 1920, we find the first application

of the "filter action" of a quartz crystal of the "hiter action" of a quartz crystal to improving the selectivity of radio frequency receivers and from that date until World War II. most of the basic circuits now in use were devised by the research engineers of the manufacturing firms marketing communication receivers.

The modern parallel to this type of filter is the magneto-mechanical meth-od with its nickel-disc magneto-striction oscillating bar, incorporated in the Collins "mechanical filter." This transfers the energy from a magneto field • 73 Portrush Rd., Toorak Gardens, South Aus. capacity of the holder has been neu-

Now suppose a strong signal at 455.5 Now suppose a strong signal at 450 to &c. is causing interference. By the adjustment of C, to values above or below C, the selectivity curve of Fig. 5b can be obtained. It is not necessary to give the mathematics of the cir-cuitry, but it can be appreciated from



IN - 700 - well - out ELECTRICAL EQUIVALENT CIRCUIT

TYPICAL VALUES L = 2 Henries

= 0-20PF to 0-05PF = (2000 A 0 = >50,000

Series Resonant Acts As A Short. circuit to signal at 455 kc. Fig. 5A.





455-5 Kc. Printilel Resonant Circuit Acts As

A very high impedance at 455-5Ke Seares Resonant [xent farq] still Acts AS A short circuit to 455 Kc. Signal on 455.5 Kc "Rejected

our knowledge of reactance modulators our knowledge of reactance modulators that the reflected reactance across the LC.R. of the crystal can be either capacitive or inductive. When capacitive, the "notch" will appear higher in frequency, and when inductive the notch will be lower in frequency than 455 Kc. (See Fig. 5b.)

Hence by choosing a value for C, which will be variable either side of

C. it is possible to attenuate the 455.5 Kc. signal to a value where its level does not cause interference.

A thorough understanding of the

above is necessary to align a crystal filter successfully and in addition the following. So if you are still with me, let's proceed to the matter of selectivity. -> Short LIRLUIT








SELECTIVITY

In Figs. 1 to 4 no attempt has been made to show this desirable feature. A good crystal will have a half-power bandpass of less than 250 c.p.s. DEMINIPASS OF JESS THAN 200 C.P.S.
The crystal, correctly phased, is a short circuit, hence it will want to "look into" low impedance input and output circuits if the energy is to be passed. High impedance input and output circuits will load the crystal circuit as a high resistance will do to a series

LC circuit. By referring to Fig. 9a it can be seen that the loading of the crystal filter can take place either at the input or the output, to effectively broaden the selectivity curve. The secondary of the i.f.t., if made resonant at 455 Kc. will present a high impedance to the signal and hence load the crystal circuit and



broaden the selectivity. The hand-width will depend on the components in use.

will depend on the components in use, but can be made 5 Kc, at the half-power point. (Fig. 9b.)

This value is adequate for any phone signals, but undercoupled i.f.t's. can achieve the same result so it is not achieve the same result so it is not usual to strive for greater than 2.5 Kc. in the "broad" crystal selectivity position. For greater selectivity, C. detunes the secondary from resonance, hence lowering Z and increasing the selectivity. This method is the one used in the SX series Halicrafters receivers. C, is not continuously variable but has fixed values to give the required band-pass widths of "broad, medium and sharp."



Fig. 10 shows a similar schematic to that used in the Hammarlund and the control of the state of





Fig. 96.

too large. Thus the selectivity is in-creased to give a bandwidth of 200-300 c.p.s. where a good crystal will "ring" with a modulated signal and speech

becomes unintelligible.

Hence it is necessary when aligning, to have L3C3 exactly on 455 Kc. or the output will not give a symmetrical



As R. is adjusted to give broad or sharp selectivity the output to the grid should not show any appreciable drop in signal strength. The peak in Fig. 9c does not decrease to the same extent as the sidebands "fill up".

On the input side L2 is a low turn centre tapped coupling coil, its impedance chosen to match the impedance of the crystal and its associated wiring. Being untuned except by the two halves of C, and not resonant anywhere near 455 Kc., L2 acts merely as the second-ary of a step-down transformer and ary of a step-down transformer and has little effect on the operation. However in Fig. 1 it can be seen that C, is across the coil and therefore phasing across the coil and therefore phasing adjustments will alter the input parameters. This is piccome to the use of the control of the circuit of Figs. 3, 4 and 10. As C, is moved, the effective capacity to earth across the coil L2 will remain constant although the phasing capacitance value will decrease as C, is turned out of mesh.

L2 is usually tightly coupled to the primary coil Li, which is resonant at 455 Kc. The number of turns and the degree of coupling being correct, there should be no increase or decrease of signal strength when the crystal is "switched in" and sidebands will be

It should be well appreciated that adequate screening of input and output adequate screening of input and output circuits is absolutely necessary for the best results from a filter of this nature. Any bypassing of signals from one stage to the next ruins its operation. To this end it is thus better to have the filter at the low level end of the lowing the converter is preferable and for yet another reason—to reduce the "ringing" of the crystal due to noise pulses.

In the AR7, this has been achieved by good design, while in the SX28 it follows the first i.f. stage into which is incorporated a Lamb-type of noise silencer.

2 This is recognised as a constant voltage generator system. Amateur Radio, December, 1958

RULES OF THE AUSTRALIAN DX CENTURY CLUB AWARD

1. The Australian DX Century Club Award is open to any Australian Amateur who has established two-way contact with one hundred or more countries in the World and complies with the following rules.

2. All contacts must have been made since the return of licenses after the 1939-45 war.

3. The official countries list as published annually (and amended from time to time) in the Federal Notes of "Amateur Radio," shall be appropriate to the purpose of determining for the purpose of determining

4. All contacts shall be made with other Amateur Stations operating in the authorised Amateur bands, or with stations licensed to contact Amateur Stations.

5. Contacts made with ship or aircontacts made will not be allowed but land mobile stations may be claimed provided the location at the time of contact is clearly shown on the confirmation.

6. In the case of countries where Amateur Stations are officially licensed by Government authorities, credit may only be claimed for stations using regular government assigned calls.

assigned cais.

7. In the case of countries where
Amateur Stations are not officially
licensed, the onus shall lie with
the applicant to prove that the confirmation submitted is for a contact with a station in the claimed

country. Stations of a portable nature which are using their own call sign fol-lowed by the prefix of the country in which they are operating may be credited under Rules 6 and 7 above, provided that the confirmation submitted indicates the particulars of such operation and the other re-quirements are in accordance with

9. Each confirmation submitted must show the date of contact, type of

emission used, the report, the band and the location of the station. 10. Confirmations must be submitted exactly as received from the station contacted and altered or forged confirmations will be grounds for

disqualification. Out-of-band operation used to con-tact a station will result in disqual-ication and be retrospective in the

case of members.

12. All stations must be contacted from the same Australian call area and by the same licensee, although if the call sign is subsequently chang-ed, contacts will be allowed if still within original call area and by the

original licensee.

13. Confirmations submitted which show both phone and c.w. reports may be accepted for both sections, if the dates of each contact is shown

and emission is indicated.

14. Should a country be deleted from the official countries list at any time, members and intending applicants will be credited with such country if the date of contact is before the date of such deletion.

date or such deletion.

15. Certificates will be issued for "All Phone", "All Cw.", and "Open" contacts with a hundred countries and stickers will be subsequently issued for each additional twenty countries confirmed over the one hundred.

16. Successful applicants will be listed monthly in "Amateur Radio". Sub-sequent to the first application, members must submit additional confirmations of not less that five at

any one time, for additional credit.

17. Applications for membership shall be addressed to the Awards Manager, G.P.O. Box 2611W, Melbourne, and accompanied by sufficient postage for return by registered mail.

Confirmations must also be accompanied by a lsit of claimed countries and stations, showing relevant details or explanations where necessary.

A Bery Happy Christmas

Prosperous New Year for 1959

& CO. PTY. LTD.

THE HOUSE OF QUALITY PRODUCTS

428 BOURKE STREET, MELBOURNE, C.1.

MU 2426

Mish All Their Customers the

-PLUS"

Compliments of the Season

"Q-Plus" also take pleasure in presenting a large range of "Q-Plus" High Quality Products on which considerable research has been made in the "Q-Plus" Laboratories, some of which are listed below.

"O-PLUS" TV TURRET TUNER

- * Covers all Australian Channels.
- * Full 360°, 12-position selector.
- Highest gain and lowest noise of any tuner produced.
- * Low "Z" link output.
- * Completely tested, aligned and guaranteed.

PRICE: £14/5/6 (inc. Sales Tax)



This Tuner has been designed, developed and produced by "Q-PLUS" Engineers in the "Q-PLUS" Laboratories especially to suit AUSTRALIAN conditions.

HORIZ OUTPUT TRANSFORMER



This is another famous "Q-PLUS" product designed by "Q-PLUS" technicians to suit most 90° yokes.

E.H.T. on load equals 16 k.v. Fully impregnated, using the special "Q-PLUS" impregnation technique, full output over long periods is ensured. This transformer is tested at over 20 k.v. and is guaranteed against electrical and mechan-

PRICE: £2/6/8 (inc. Sales Tax)

'O-PLUS" VERT. OUTPUT TRANSFORMER

This vertical output transformer is This vertical output transformer is another of the ever-popular and reliable "Q-PLUS" products developed in the "Q-PLUS" laboratories and is designed to suit most 90' yokes. It is completely wax impregnated, eliminating acoustic hum and lamination vibration, also gives complete protection against degives complete protection against deects due to humidity.



These transformers are tested at 2,000 volts to EARTH, and are fully guaranteed against both electrical and mechanical defects.

PRICE: £1/7/6 (inc. Sales Tax)

"O-PLUS" MARK III. LF. STRIP



The "Q-PLUS" Mark III. Video and I.F. Strip comes fully guaranteed, completely wired, tested, aligned and sealed, with all valves (four 6CB6, two 6AL5, and one 6AU6) with one spare 6AL5 diode, which can be used as A.G.C. Clamp, etc.

PRICE: £23/16/7 (inc. Sales Tax)

"O-PLUS" TV POWER TRANSFORMER

Primary: 240volts. Secondary: 285-0-285 volts.

Filaments: 6.3v. at 9a., 5v. at 3a.

This transformer has the primary tapped from 200 to 250 volts in steps of 10 volts, fully impregnated with the special "Q-PLUS" technique, ensuring freedom from moisture under any climatic conditions.



Each winding is independently tested at 2,000 volts to earth, and the complete transformer is fully shielded with heavy copper shields, ensuring a minimum external field and line pick-up

PRICE: £6/1/6 (inc. Sales Tax)

"O-PLUS" WIDTH, LINEARITY, HORIZONTAL BLOCKING OSC. & HORIZ, SINE WAVE COILS

"Q-PLUS" VHOI HORIZONTAL BLOCKING OSC. COIL—An unshielded line blocking oscillator transformer recommended for "Synchro-Guide" or similar circuits. Features "clip-in" mounting, base lug terminations and threaded from core with hexagonal hole. "Q-FLUS" VHS2 HORIZONTAL SINE WAVE COIL—
An unshielded line sine wave coil recommended for
use with Type HOI line block oscillator transformer,
to improve stability of the line oscillator. Also suitable for "finging" coil for line multi-vibrator circuits,
features "clip-in" mounting, base lug terminations and
threeded iron core with hexagonal hole.

threeded iron core with nexagonal noise.

"Q-PLUS" VWI HORIZONTAL WIDTH CQIL.—An
unshielded line width coil recommended for the adinductor (width coil) across a small part of the horizontal output transformer, features "clip-in" mounting, base lug terminations and Ferrite iron core.

"Q-PLUS" VLI HORIZONTAI. LINEARITY COIL.—An unshielded line linearity coil recommended for the adjustment of picture horizontal linearity by means of a variable inductor (linearity coil) in series with the damper diode anode and HT plus. Features "clip-in" mounting, base lug terminations and threaded iron core with horizontal hole.

"Q-PLUS" T.V. KITS ARE AVAILABLE FROM ALL RADIO & T.V. DEALERS SPECIALISING IN KITS or direct from:

R. W. STEANE & CO. Ptv. Ltd. SYDNEY: 8 Cadow St., Pymble. JX 3556
MELBOURNE: 2a Montrose St., Hawthorn, E.2. WB 3377-8-9

Page 6 Amateur Radio, December, 1958

AN AUTOMATIC MORSE KEYER

BY D. G. HAWTHORNE,* VK3ZCD

THIS article briefly describes an automatic Morse keyer and the associated equipment used as a source of practice Morse. Commercial these suffer the disadvantages of interference, intermittent operation, and more important, no means of speed variation to suit the trainer's skill. The tor resulted in the construction of sufficient to the suffer in the manufacture of the second o

The system uses the Wheatstone code, a modification of the International Morse Code designed for use in automatic equipment. It differs from Morse with the state of the state

travelled a further 1/20 inch, the space hole reaches its brush, Fig. id, and the current flow stops the switch operation. There is then a pause of 1/20 inch tape travel till the next mark hole reaches its brush, Fig. 1e. This 1-11 mark-space ratio is the same as that for Morse "dist". Similarly, the staggered "dah" perforations result in the 3:1 mark-space ratio rounteed for *Morse "dist".

Morse signal.

The keyboard perforator used to the control of the

SPACE MARK

SPACE MARK

OV. FIG. 2

KEYED

CIRCUIT

(I) Eccles-Jordan trigger) A rela


these being capable of omission or modification as required. The first section, using valve 1, is an Eccles-Jordan trigger used as an electronic switch for translation of the Wheatstone code. The second section using valves 2 and 3, is

a simple, but effective, electronic key. The final section is a 800 c/s. audio oscillator. The operation of the individual units is as follows:

(1) Eccles-Jordan trigger. A relay operated translator, shown in Fig. 2, had been tried, but the response was not sufficiently rapid to operate on the momentary current pulse from the brushes. The valve circuit overcomes value of the grid resistance causes VIA to preferentially reach the conducting state, the potential drop across RI maintaining grid VIB below its cut-off.

The current drawn by R3 and R6 is usufficient to operate the relay A. The start signal short-circuits R6, reducing start signal short-circuits R6, reducing start signal short-circuits R6, reducing the resultant rise in its anode potential applied to grid VIB via R4, allows VIB anode potential, due to the current scruting the relay. The lowered VIB anode potential, due to the current of condition. This "switch-old" state is stabilised by the feed-back circuit; any relation of condition. This "switch-old" state is stabilised by the feed-back circuit; any relation of condition. This "switch-old is stabilised by the feed-back circuit, and the relation of conditions and the relation of the relation of

(2) Electronic Key. This is a modification of a circuit's due to Jack Gallagher, W5HZB. It consists of a thyration oscillator and a double triode pulse-shaping circuit. In the rest positivity, the cathode potential of V2B, by means of grid current conduction. The bias control holds V2A in a cut-off state,



In the writer's apparatus, these commencement, or mark pulses, are used to completion, or space pulses, end the switch operation. The code is stored on a perforated paper tape, an example of holes correspond to the mark signals, the bettom row to the space size, and the stored on the stored or to the space size, and the stored of the stored or to the space of the stored of the stored or to the space of the stored or the stored or the stored of the stored or th

ponds to the interword space.

In this equipment perforations are sensed by small spring brushes making metallic contact with the tape-guide. The space-brush is placed 1/20 inch beyond the mark-brush, Fig. 1b. When a mark hole arrives at brush, Fig. 1c, current can flow through the brush and operate the switch. When the tape has "Flat 3, 11 Leopold St. South Yarra, Vic.

which can move into a position between the back of the punches and a harmore. The back of the punches and a harmore forward each time a letter is struck, the distance being to small to operate the editance being oscillation of the punches of the key for the letter of is struck. The keybars have projections which an depress speector bars which, in key for the letter of is struck. The key for the letter of is struck. The key for the letter of is struck. The projections depress the selector bars of the projection of the letter of t

The keyer, circuit Fig. 3, can be divided into several sections, some of

and hence the relay remains open. (The trigger can be ignored for the present analysis.) On closing the dash contacts of the key Sk, C3 is rapidly discharged by the thyratron, and recharges through R19 and the speed control, R20, after the capacitor potential falls below the thyratron extinction point. The cycle can be repeated if the contacts are kept closed, the repetition rate being determined by the charging time of C3.

The fall in C3 potential causes a decrease in V2B anode current, the resultant rise in its anode potential, relayed to grid V2A by R13, allowing current flow in V2A, this actuating the relay. now in V2A, this actualing the relay, As G3 recharges through R19 and R20, the increased flow of V2B anode current, and corresponding fall in V2A grid potential will cause cut-off of V2A and opening of the relay. The critical V2B potential for V2A cut-off is set by the value of R10, this setting is set by the value of R10, this setting determining the mark-space ratio for the dash.

On closing the dot contacts, the poten-tial drop across R16 causes the thyratron to extinguish before C3 is fully discharged. This results in a faster repetition rate without alteration in the space duration. The latter is determined by the constant interval required for C3 to charge from the critical potential defined earlier, to the firing potential of the thyratron. This is fixed by the values of R19 and R20, and is indevalues of R19 and R20, and is inde-pendent of previous events, provided the discharged potential is less than the critical potential. The dot-dash ratio is set by R16, which could be re-placed with a 2.2K resistor without noticeable deterioration in quality.

Note.—Dirty key contacts will cause erratic operation by introduction of additional resistance in the discharge circuit

The electronic key has a self-completing characteristic, i.e. the contacts need only be closed for the fraction of a second required to discharge C3. If the trigger is not required, the circuit can be broken at the R5/relay junction. The speed range of the key is approximately 12 to 35 words per minute. The only precaution is to maintain the thyratron heater voltage above manufacturer's minimum of 5.8 volts. The speed is dependent on the cathode temperature, and if the voltage falls below the minimum, the keying becomes erratic.

(3) Audio Oscillator. This a resistance-capacitance oscillator tuned to 800 c/s. It is keyed by interruption of the ac. return path of R26 and R27. L is an audio choke used for simultaneous keying of other equipment; it was not installed in the writer's unit. The audio frequency can be changed to 1000 c/s. requency can be changed to 1000 c/s. by replacing R25, R26 and R27 with 47K resistors. The audio output is monitored by high impedance phones placed across R29.

(4) Power supplies. A supply of 300 volts at 20 mA. is required for the high tension line. It is advisable to not differ more than 10 per cent. from this value, this being the tolerance of supplies and components allowed for in the design. The electronic key supply is not critical, the only noticeable effect for voltages as low as 230 volts being a decrease in speed and a need for re-adjustment of R10. The heater requirements are 6.3 volts at 2.1 amps. must be taken to avoid excessive resistance losses in the heater leads.


(5) Hand-key mechanism. This is designated as Sa in the circuit. It can be a modified bug key as described by W5HZB. The writer's key consists of two Army keys, WT No. 2, mounted back-to-back on a piece of Meccano. The knobs have been replaced by bake-lite paddles, the spacing being ca. \(\frac{1}{2} \). The key arms are not connected mech-anically. The left-side key is used for "dits" in accordance with standard bug design.

(6) Keying Head. This is unique, he writer's model is powered by a small synchronous motor, the speed variation being obtained by a variable ratio friction drive attached to a 1:50 worm drive from a disposals tuning unit (BC191E). Use of a ½ inch diam. capstan gives a tape speed of between 35 and 75 inches per minute, i.e., 14 to 30 words per minute. The brushes are and from four strands of 26 gauge phosphor-bronze wire attached to bolts used for setting the position. Further information is available on request, the complete description being too detailed to be a set of the control of the cont to warrant inclusion in this article.

The only serious trouble experienced in the design was the construction of the brushes; these are operating properly at present, though the writer's skill at metal-work is not sufficient to make the brushes reliable enough for communications purposes. No difficulty was found in the adjustment of the head, and the quality of the Morse is perfect.

Commercial equipment normally uses vibrating "peckers", synchronised with the tape drive, to sense the holes in the tape. Though more complicated than the brush system used by the writer, it overcomes the serious prob-lems of timing ambiguities and reliance on good brush contact.

- Renwick, W., and Phister, M., "A Design Method for Direct-Coupled Flip-Flops," Elec-tronic Engng. 27, 246.
- Gallagher, J. D., "A Thyratron-Controlled Electronic Key," "QST" 37, No. 12, p.24.




See text.

HINTS AND KINKS

DISMANTLING A MAST

The mast to be dismantled was constructed of 2" square oregon, planed all round, and stood approximately 40





feet high; utilising three pieces of timber slightly in excess of 20 feet, in the conventional manner.

Because it was not practicable to remove the 20 ft. (or thereabouts) lengths, the timber had to be cut to about 10 feet lengths.

The top length was cut diagonally.

with a cut about a foot in length, and was later reconstructed with the aid of two pieces of 2" angle steel and four 5/16" bolts, as sketched.

The lower section was cut so that each side was left with an overlap of one foot and a three foot piece of the same sized timber bolted in the mid-same sized. The length of the mast is not affected by the cutting and it has stood for

The length of the mast is not affected by the cutting and it has stood for three years after re-assembly; indicating that the method is satisfactory. It has again been dismantled and will be re-erected on the same lines, using a ladder as a "jury rig" to swing it up on its bolt-mounted base, in due course. No additional guys are needed, six having been found sufficient to hold a having been found sufficient to hold a

137 feet wire against all winds.

It is, of course, necessary to paint the cut points before re-assembly and also to paint the angle steel, both inside and out.

—T. Laidler, VKSTL.

INSULATED FEED-THROUGH

If you are wiring any equipment and you desire rigidity and insulation through the chassis, simply obtain the plastic tube portion of a used ball-point per refill. Drill a hole through the chassis and the job is neatly done! If necessary the tube can be cemented neatly into place with polystyrene which has been dissolved in ethylene dichloride.

—Ina Hunt, WAL-JEON.


CONNECTORS

Connections are required for a variety of use in radio equipment and especially in Amateur Radio gear. Such uses are the connecting of aerials and coupling links, speakers and phones, the tapping of tuning coils, etc.

To perform these functions screw terminals, banana plugs, telephone jacks, alligator clips and wafer switches

jacks, alligator clips and water switches have been used.

A neat and cheap substitute for most of these items is found in the snap fastener or press stud used for women's and children's clothing. These, which sell for threepence a dozen, are made of plated brass and form a miniature



Connection for

tapping coil
The plug part may be fitted to a
screw for panel mounting by soldering
the head of a ½" Whitworth countersunk brass screw to the back of the
plug. The socket section can be conone thread the wire through the
one thread to the pring and turning
back and soldering.

Also the plug part may be fitted to a panel by soldering a solid wire into the hollow of the plug, passing the wire through a neat hole in the panel and bending down sharply behind.

For tapping an inductance the base of the plug portion may be folded around the wire and soldered to it. In this way the connectors may replace wafer switch and reduce the distributed capacity of an inductance.

—J. Gazard, YKSJG.

USING FILM REELS AS CAPACITIVE HATS

Have you ever tried using a 16 mm, movie film reel as the capacitive hat for a mobile whip? These reels are readily modified for simple mounting, and perform effectively as capacitive loading units. You may even be lucky enough to obtain one or more slightly damaged reels at no cost by visiting a film library or concern that rents home entertainment films.

entertainment times.

The property of the control of the control of two round discs bined at the centres by the hub on which the film is wound.

Only one of the discs is used of or capacity of the control of the cont

This idea was actually suggested by W5YZL. It has worked out so well in practice that I thought it worth passing

along.

—E. V. Blalye,Jar., wsTvw, "QST" Feb. 58.

[Editor's Note: See "Top Loading Capacitance," in the Radio Amateur's Handbook, chapter 19, for additional data on capacitive hats and the effects of capacitive loading on loading coil

inductance.]



VACUUM MOUNTED CRYSTALS

for general communication frequencies in the range 3-14 Mc. Higher frequencies can be supplied.

THE FOLLOWING FISHING-CRAFT FREQUENCIES ARE AVAILABLE IN FT243 HOLDERS, 6280, 4095, 4535, 2760, 2524.

ALSO AMATEUR TYPE CRYSTALS—3.5 AND 7 Mc. BAND.

Commercial—0.02% £3/12/6, 0.01% £3/15/6. plus 12½% Sales Tax.

Amateur—from £3 each, plus 12½% Sales Tax.

Regrinds £1/16/-.

CRYSTALS FOR TAXI AND BUSH FIRE SETS ALSO AVAILABLE. We would be happy to advise and quote you as to the most suitable crystal for your particular application, either in the pressure or vacuum type holder. New Zealand Representatives: Messrs. Carrel & Carrel, Box 2102, Auckland.

BRIGHT STAR RADIO 46 Eastgate Street, Oakleigh, S.E.12, Vic. Pho

Phone: UM 3387

Amateur Radio, December, 1958



PROTECT YOUR TRANSISTORS WITH ORYX

There is a danger of damage when soldering to transistor leads, due to A.C. leakage currents. The use of a low-voltage transformer supply, with earthed secondary is therefore recommended. Take care also that too much heat is not applied to flying leads. The ORYX iron, and a heat-sink such as heavy pliers gripping the lead between the contact point and the transistor, will ensure protection.

- 1 n • 1
 - Fast heating element, ready for operation in less than one minute.
 Exclusive design features resulting in universal acceptance of
 - Exclusive design features resulting in universal acceptance of ORYX as the standard miniature soldering instrument.
 - The ORYX long life element will outlast several bits which are of tight push-on fit.

Bit Dia.:	Volts	Watts	Nett Weight	Length	Recommended Use
Model 6 1/16" (Fixed)	6	6	0.25 oz.	6"	Electrical measuring instrument fine assemblies, hairsprings, R.F. pick-up and speech colls, hearing aid sub-assemblies, etc.
Model 6a 3/32" (Push-on)	6	6	0.25 oz.	6*	As for Model 6 (for extremely delicate work only).
Model 9 5/32" (Push-on)	6, 12, 24-27½	8.3	0.25 oz.	6"	Hearing Aids, Radio and TV Sub- assemblies, Coils, Electronic Instruments, Model Construction, Electro-Medical, etc.
Model 12 3/16" (Push-on)	6, 12, 24-27‡	12	0.5 oz.	6.25*	Radio, Television, and Telecom- munications assemblies.
Model 18 3/16" (Push-on)	6	18	0.75 oz.	7‡*	For heavier work, heat capacity equivalent to that of most 80 watt soldering irons.

MANUFACTURERS SPECIAL PRODUCTS PTY, LTD.

47 YORK STREET, SYDNEY
MELBOURNE: Amalgamated Wireless (Australasia) Ltd. ADELAID

MELBOURNE: Amalgamated Wireless (Australasia) Ltd. ADELAIDE: Newton McLaren Ltd.
PERTH: Nicholsons Ltd., Carlisle & Co. Ltd. HOBART: Noyes Bros. Ltd. BRISBANE: Chandlers Ltd.

MSP3.58

AWARDS

D.V.Q. AWARD

For those interested in awards, here is a new award given by the Radio Club of Quebec, It is called the D.V.Q., French abbreviation for Diplome de la Ville de Quebec, Quebec City Diploma. To be eligible, each applicant must give proof of having contacted at least five different stations in the City of different stations in the City of Quebec; for other countries than Can-ada and U.S.A., a total of three stations is necessary. C.w. or Phone, or a com-bination of C.w. and Phone makes no

difference in obtaining this award. Just send your log abstract and one Reply Coupon to: Alex Desmeules, VE2AFC, 186 Aberdeen Street, Quebec City, Canada.

J.A.R.L. AWARDS

J.A.R.L. is issuing the following certificates for confirmed two-way contacts and short wave listeners. Those who can satisfy each of the following items will be awarded a certificate.

QSLs dated after 30th July, 1952, the date when Japanese Hams came back on the air after World War II., are available. All authorised bands and all types of emission may be used.

Send your QSLs to the Oversea Com-mittee, J.A.R.L., P.O. Box 377, Tokyo, Japan, with a check list. Shortly after. you will have a fine certificate for the result of your efforts.

(1) A.J.D. (All Japan Districts) will be awarded to any Ham who can prove contact with a station in each of 10 JA call areas. The application must be accompanied by 10 I.R.C's. for non-members and 5 for members of J.A.R.L. (2) H.A.C. (Heard All Continents) will be awarded to any SWL who can submit a Ham Station's OSL card for

D.X.C.C. LISTING

Listed below are the highest twelve sembers in each section. New members and those whose totals have been those whose totals have PHONE Cer. C'nt-No. ries 3 176 4 168 23 164 10 163 31 161 16 160 Call ries 211 211 208 VK6RU VK3WL VK6MK VK3BZ VK6KW VK4RW 14 43 25 21 12 C.W. Cer. C'nt-No. ries 10 245 Cer. C'nt Call VK3XU Ame. 155 VK5JT VKARW 54 134 OPEN Cer. C'nt-No. ries Cer. C'nt-No. ries 61 221 3 215

six continents of the world. 5 I.R.C's. for non-members and no fee for mem-bers of J.A.R.L.

(3) W.A.J.A. (Worked All Japan Prefectures) will be awarded to any Ham who can prove contact with the 46 separate prefectures in Japan. 10 I.R.C's. must be included in the appli-

cation for non-members and no fee for members of J.A.R.L. (4) J.C.C. (Japan Century Cities) will be awarded to any Ham who can prove contact with a station in 100 different cities in Japan. There are over 400 cities in Japan. 10 I.R.C's, must paid for non-members and no fee

for members of J.A.R.L. (5) Certificates for S.W.L's. These certificates also apply to SWL's who can prove having heard the stations mentioned above. Other conditions are the same as for transmitting stations.

TWENTY-FIRST B.E.R.U. CONTEST Better Response from Australasia

The coming of age of the B.E.R.U. Contest was celebrated by Amateurs throughout the Commonwealth on January 25-26, 1958, in no uncertain manner. More came on the air, made more contacts and sent in more logs than last year which was considered to be among the most successful of all previous contests. There was a rise of 25 per cent. in the number of logs received.

In the High Power Section the first three placings were: ZS6DL, 1st, 4669 points; ZC4IP, 2nd, 4145 pts.; VE3KE, 3rd, 3977 pts. Australasian entries: pollus; ZC31F, ZHG, 3189 PIS., V&CASC, 3rd, 3877 PIS. Australasian entries: VKZQW, 13th, 2475 pts.; ZL4BL, 1500 pts.; VKZAFK, 1145 pts.; VKSMY, 1120 pts.; ZL1BJ, 305 pts.; VKSMY, 1220 pts.; ZL1BJ, 306 pts.; VKJP, 830 pts.; VKZAYA, B. B. PIS.; VKJP, 830 pts.; VKZAYA, B. B. PIS.; VKJP, 830 pts.; VK4XW, 210 pts.; and VKZHZ, 150 pts.

The Low Power Section was won by ZS6R with 2538 pts.; ZD2DCP, 2nd, 1994 pts.; ZB21, 3rd, 1946 pts. Australasian entries: VK3ZC, 920 pts.; and ZL1MT, 775 pts. 775 pts.

CAPACITIVE NEUTRALISING HINT

The capacitive neutralising circuit for screen-grid tubes shown in Fig. 1 will be recognised as the basic arrange-ment described in Chapter 6 of "The Radio Amateur's Handbook" (see "Stabilising Amplifiers"). It differs from the Handbook system only in that the grid bypass, Cl, is the variable control, while the neutralising capacitor, C2, has a fixed value.



Fig. 1.—Circuit of a screen-grid amplifier using the capacitive neutralising arrangement sug-gested by WILU. Notice that a variable cap-acitor, Cl., is used as the grid-circuit by-pass, and that the neutralising capacitance is of fixed value. Neutralising is accomplished by the adjustment of Cl.

In practice, C2 usually has a very low value of capacitance—approximate-ly 2 to 10 pF. Voltage rating for the capacitor must be the same as the amplifier plate voltage for c.w. work and twice this value when plate modu-lation is used. A variable capacitor that will meet these specifications is not always easily come by. However, a suitable fixed unit can usually be easily located or quickly fabricated from scrap aluminium. Of course, the fixed capacitor may be used as long as nxed capacitor may be used as long as the grid by-pass capacitor, Cl. is var-iable. Fortunately, compact wide-range padder capacitors that have adequate voltage rating for grid-circuit duty are available. The voltage rating required must equal the operating bias of the amplifier tube. The knowing Ham will select a conservative rating that allows some safety factor.

—W. S. Allen, WILU ("QST," Mar. '58)

AMATEUR RADIO SERVICE

605 ABERCORN STREET, ALBURY, N.S.W. Phone 1695

would like to take this opportunity to wish you all a

Bery Merry Christmas and a

Happy New Vear

with good DX prospects.

We also thank you for your interest, and look forward to being of some assistance to you during the New Year. (Signed) D. C. Haberecht, for A.R.S.

231

63 140

1958 REMEMBRANCE DAY CONTEST RESULTS

WESTERN AUSTRALIA RETAIN TROPHY

Congratulations to the Western Australian Division for the third time in

traina Division for the third time in succession with a narrow win from the Tasmanian Division.

The Memorial Trophy will again be held by Western Australia. A framed photograph of the Trophy will also be

presented presented.

To Tasmania, the Contest Committee
has made an award of a suitably inscribed Certificate for the Highest
Average Log Score. Victoria also put
up an excellent performance.

South Australia made history by hav-ing an average score of over the 1,000 points for the top six logs

points for the top six logs.
It was pleasing to see that New South
Wales improved the log entry from 56
logs in 1957 to 90 logs in this present
Contest. Even so, it is still very difficult for the larger Divisions to gather
over 1,000 licensees together. In these
States the percentage of "inactive" calls is as much as 25% and further thought should be given to equalising the conditions.

A pleasing aspect of the Contest was the increased entry in the Listeners' Section. Extra awards have been made. -Federal Contest Committee.

STATE TROPHY

Western Australian 5404 points STATE AWARD-Highest Log Average Tasmania 261.7 points

CALL AREA AWARDS	
Phone:	Points
VK1PM-R. E. W. May	970
3ATN-T. R. Naughton	
3ATR-T. B. Rodda	. 984
3ADW-D. A. Wardlaw	. 933
4DJ-G. F. Pooley	. 774
5EN-A. R. E. Nitschke	. 1109
	. 1003
6KW—R. W. Hugo 7GC—G. Cranby 9LE—L. K. Earp	. 914
7GC-G, Cranby	. 702
9LE-L. K. Earp	. 314
OTC-T. J. Cordwell	. 672
Open:	Points
VK2QL-F. T. Hine	498
3XB—I. Stafford	
4JF—F. C. Files	
5QR-R. V. Galle	390
6UF-F. H. Turner	149
7CH-C. Harrisson	. 463
9RR-R. R. Hooper	
C.w.:	Points
VK2RS-D. C. Haberecht	
2BO-E. L. Andrews	
4DP-D. M. Portley	
5WO—A. S. Condon	
5NO-L. H. Vale	1090
6RU—J. E. Rumble	1174
7KA—K. E. Millen	714
9XK—S. R. Coleston	848
Listeners:	Points
VK2-D. M. Grantley	
J. McAllister	. 778
VK3—A. C. Stebbing	. 815
C. T. Taylor	. 793

W. Aslin W. Clowes

A. de Balfour

NEW SOUL	H WALES
VK2RS Open 1077	
1PM Phone 970	
2BO Open 941	Licensees 120
2AHH Phone 891	Log Entry 9
2AHM Phone 856	Percentage 7.4
2JU Phone 818	State Points 233

State Log Average 209.3

131 126 106 100 86

VICTORIA

VK3ATN Phon, 1271 Total Score 18499 3ATN Phone 984 3ADW Phone 933 951 Average/6 Licensees 1149 3DQ Phone Z Open 849 Percentage 6.27 SOM Phone 800 State Points 2110

State Log Average

VKSAKF VKSAIT VK3AXW 3EF 3ADU 3HL 3TH 3XE 3CO 3SM 3II 3AUG VKZIE VK3PR VK3OH C.w.: VK3ZA 3AEP 3NK 3AWS



QUEENSLAND

VK4DJ Phone 774 4DP Open 634 4PQ Phone 584 4RH Open 533 4MF Phone 438 4AF Phone 327 Total Score .. 7299

Average/6 5483 Licensees 401 Log Entry .. 47 Percentage ... 11.72 State Points .. 1404

State Log Average 155.3

Open: VK4DO 262 VK4XF

Cw.

Remembrance Day Trophy retained by West. Australia

SOUTH AUSTRALIA VK5WO Open 1144 Total Score 18767 5EN Phone 1109 Average/6 1004.5 5NO Open 1090 Licensees 435 5AF Phone 1003 Log Entry 76 5KM Phone 879 Percentage 17.47 5JN Open 802 State Points 4283 State Log Average 246.9

SOUT	TH A	USTRAL		Continue	ed)	PAPUA-NEW GUINEA	PREDICTION CHART, DEC. '58
wear	200	Phone VK5OC	"	VKSXV		VK9XK Open 848 Total Score 2288	
5EF	600	5QW 5TJ	216	VK5XV 5MK	75	9DB Open 712 Average/6 378 9LE* Phone 314 Licensees 77	Me. E. AUSTRALIA — W. EUROPE S.R. Me. 0 2 4 6 8 10 12 14 16 18 20 22 24 45 GMT 45
SJC SLQ	600 456 453 444 406 377	5I.L.	208 192	5MK 5CJ 5WI	69	9NT Open 293 Log Entry 6	45 GMT 45
5BH	444	5SX 5RG	190	5XU 5XA	58	9RR C.w. 84 State Points 555	21
50K	377		147	SON	45	9HI Phone 17 • Cocos Island.	14 - 14 7
5BF 5XM	368 367 364 354 337 331 304 285 265	5SS 5CO	138	5RI 5KD	39	State Log Average	E AUSTRALIA - W. EUROPE LR.
5RR 5ZB	364	SAX	120	5DO 5PS	32		E. AUSTRALIA — W. EUROPE L.R. 0 2 4 6 8 10 12 14 16 18 20 22 24
5XY	337	SJG	113		19	ANTARCTICA	28 28
5LB 5LT	304	SUA	106	SDF SWM SWR SDU	18	VK0TC Phone 672	21 21
5FJ 5AP	285	SMS	97 94 93	5WR	17	LISTENERS SECTION	7 — 7
SEU	251	5WA	93	5KU,	P 10	NEW SOUTH WALES	E. AUSTRALIA — MEDITERRANEAN
		Open				D. M. Grantley 1054 J. M. Meckie 43 J. McAllistery 717 D. W. Shephard 374 I. S. Curthoys 717 D. J. Shephard 374 I. S. Curthoys 717 B. J. Harwood 370 N. I. Dash 674 P. J. Carter 339 J. Douglas 540 B. J. Smyth 230 H. C. Craig 518 D. Richardson 40	0 2 4 6 8 10 12 14 16 18 20 22 24 45
K5FY 5RG	285	VK5WC	213	VKSLD	201	I. S. Curthoys 717 B. J. Harwood 370	28 28
bac	201	C.w.		DHM	56	I. S. Curthoys 717 B. J. Harwood 370 N. L. Dash 674 P. J. Carter 359 J. Douglas 540 B. J. Smyth 280	14 14
KSQR	390	VK5MZ	110	VK5TL	48 43	H. C. Craig 516 D. Richardson 40 B. F. Cartwright 455	
5XK 5MY	281	5RK 5TW	74 60	5OR 5MD	43	VICTORIA	E. AUSTRALIA — N.W. U.S.A. 0 2 4 6 8 10 12 14 16 18 20 22 24
SJT	231	5RX	53	5DK 5FM	40 34 10	A. C. Stebbing 815 E. W. Treblicock 374 C. T. Taylor 783 I. D. Thomas 277	45 45
					10	C. T. Taylor 783 I. D. Thomas 277 J. M. Hilliard 533 R. Louitt 228 P. Milne 520 G. R. Morris 189	21 21
		ERN A			. 82.	P. Milne 520 G. R. Morris 189	7 10
K6RU	Oper	1174 ne 914	Tota	l Score	12530	I. R. Woodman 508 D. H. Jenkin 158 P. A. Barclay 444 M. A. Cadzow 155	E. AUSTRALIA - N.E. U.S.A. S.R.
6WT	Pho	ne 734	Lice	rage/6 nsees	242	SOUTH AUSTRALIA	0 2 4 6 8 10 12 14 16 18 20 22 24
6CL	Phon	e 688	Log	Entry	89	F. W. Aslin 708 W. J. Clayson 442 G. H. Herden 605 Miss J. Martin 305	23 28
6DX	Phor	e 647	Perc	entage	36.78	F. W. Asiin 708 W. J. Clayson 442 G. H. Herden 605 Miss J. Martin 305 R. J. Simounds 603 D. Brasher 38	21 21
	Open			e Points		WESTERN AUSTRALIA	1
tate I	og A				140.5	A. W. Clowes _ 983 Disqualified Log: C. J. Anderson _ 582 F. H. Price.	E. AUSTRALIA — N.E. U.S.A. L.R. 0 2 4 6 8 10 12 14 16 18 20 22 24
KAPW		Phone	:				0 2 4 6 8 10 12 14 16 18 20 22 24 45
6SM	534 399	6WZ	93	VK6LL 6JG	27	TASMANIA	28 21
6KJ 6ZZ	399	6AG 6KE	85 85	6BS 6SJ	26	R. A. de Balfour 1131 C. Russell-Green 489 R. K. Emmett . 615	14 - 14
6EJ 6LG		6MG	83	6MB	23		
6RW	277 199 188 182	6RC	67 67	6VM 6AH	23		E. AUSTRALIA — CENTRAL AMERICA 0 2 4 6 8 10 12 14 16 18 20 22 24
6WU 6GB	188	6WI 6HR	63 58	6AL 6IG	21	NATIONAL FIELD	45
6PW	179	6JH 6MK	56	6TP 6RO	21		21 21
6KO	144	6XG	48	6CM 6CR	19	DAY CONTEST	7 - 1
6TB 6WL	144 143 137	6MO 6NF	56 48 48 40 40 37	6CR 6TY	19	The draft rules of this Contest	E. AUSTRALIA — S. AFRICA 0 2 4 6 8 10 12 14 16 18 20 22 24
6RH	137 117 116	6GD 6GM 6LM	37	6TY 6OR	17	having been ratified by Divisions,	0 2 4 6 8 10 12 14 16 18 20 22 24
6FB	116	6LM	33	6GJ 6MN	16	the rules will be as published in	28 28
6GW	100	6HK 6RS	32	6SR	16 16 15	the September issue (p. 16) of	21 21 21
6BO	94	6BC 6EW	36 33 32 31 30 29	6TR	15	"A.R."	7
						It is hoped that the amended	E. AUSTRALIA — PAR EAST 0 2 4 6 8 10 12 14 16 18 20 22 24
KSMA	418	Open VK6JM	227	VKKAF	24	rules will entice more participants	45 45 45
6GU	251	6TL	60	6BR	22	in this event. There are sections	28 221 21
		C.w.				for h.f. and v.h.f. this time,	14 - 14
Keur	149	VK6WT 6MY	41	VK8DF 6LU	27	Remember the date: Sunday,	W. AUSTRALIA - W. EUROPE
6VK 6AJ 6WW	126 59		34	6KX 6XF	23	25th January, 1959. Have your	0 2 4 6 8 10 12 14 18 18 20 22 24
6DJ	57 46	6KV 6BA	32	6XF 6JK	27 27 23 19 12	portable equipment ready to enter	23
IIn	ecenta	6WH ble Log: V			E	this Contest.	21 - 21
3							1
K7KA		TASMA		1 Score		4	W. AUSTRALIA — N.W. U.S.A. 0 2 4 6 8 10 12 14 16 18 20 22 24
7GC	Phon	P 702		rage/6		BOOK REVIEW	45 45 45
7RN	Phon	e 697	Lice	nsees	125		21 21
7DW	Phor		Log	Entry	46	V.H.F. HANDBOOK	14 14
718	Open Phone	629	Perc	entage	36.8	By Orr and Johnston	W. AUSTRALIA - N.E. U.S.A.
		verage .				This publication by Radio Publica-	0 2 4 6 8 10 12 14 16 18 20 22 24
	OB	Phone			201.0	tions, Wilton, Connecticut, U.S.A., and	45
КТРМ	555	VK7WA	203	VK7CK	40	edited by two known W6 v.h.f. men,	21 21
TRL	519 462 455 449		263 193 157	7CT 7PJ	47	tions, Wilton, Connecticut, U.S.A., and edited by two known W6 v.h.f. men, is a must for the serious Australian v.h.f. enthusiast.	7
710	455	TBQ	157	TPA TJD	33	It contains approximately 200 pages,	W. AUSTRALIA - S. AFRICA
7SF 7MF		TXL TAB TJP	88		24	liberally illustrated by photographs and drawings of v.h.f. equipment. There	45 0 2 4 6 8 10 12 14 18 18 20 22 24
TRX	375	7JP 7RM	88 83 74 66	TRK	33 24 13 12 11	are twelve chapters, covering all aspects	23 23
.DR	0.0			ILE	**		14
K7LZ	874	Open:	188	VKTYY	147	With very few exceptions, the equip-	
TLJ	574 459 263	VK7NC TBJ	188 156	TYL	72 36	ment described can be constructed from components available in Australia	W. AUSTRALIA - FAR EAST 0 2 4 6 8 10 12 14 16 18 20 22 24
IOM	203	O.w.:		TFJ	36	Australian price is 34/3, 1/9 postage.	45 45 8 10 12 14 16 18 20 22 24
ктсн	463	VKTRY	57	VKTDS	20	components available in Australia. Australian price is 34/3, 1/9 postage. Our copy from Technical Book and Magazine Co., 295-299 Swanston St.,	21 28
7KM 7MZ	381	722	33	7AL TSR/	P 13	Magazine Co., 295-299 Swanston St., Melbourne.	14 — 14
				1514			

AMATEUR CALL SIGNS

JULY, AUGUST. 1958

NEW CALL SIGNS

VIII. New South Wales New South Wales
2HV-G. E. Veasey, R.M.B. 189, Hume Highway, Bargo.
2AGP-E. A. Parker, Aust. Missionary College. 2AOP—E. A. Parker, Aust. Missionary Conge, 2AOO—A. L. O'Donnell, 207 Burraneer Bay P. Carlingbah. 2AOP—M. R. Robinson, 18 Coast Av., Cronulla. 2ATZ—I. Zainuddin, 35 Laura St., Newtown. 2ZBM—J. G. Moen, 7 Cadboll St., Lismore. ZDA—R. J. Aberneathy, R.A.A.F. Station,

2ZFM-B. C. Milne, 22 Robert St., Narrandera. 2ZJK-K. W. Jeffcoat, 180 Wellington St., Victoria

3TL—J. K. L. Matchett, 645 Riversdale Rd., Box Hill. 3VD—C. M. Barrett, Station: 29 Dryburgh St., West Melbourne; Postal: 300 Kinz St. 3VT_J. V. Hudson, 46 Donald St., Highett. 3ADG—G. N. Kidson, 1 Myrtle Gr., Blackburn. 3AMK—L. L. McInnes, 142 Roberts St., Yarra-

ville. J. J. Laughton, 4 Burns Court, Shep-3AQM—Melbourne University, Electrical En-gineering Dept., Carlton. 3ARO—R. C. Pulford, St. Helena Rd., Greensborough.

3ZCL—C. K. Blake, Station: Henty Highway, 3
miles N.E. of Hopetoun; Postal: Box 3ZCL—C. K. Buss. of Hopetous, miles N.E. of Hopetous, 162, Hopetous. 3ZCA—I. R. Boudry, 323 Dorset Rd., Boronia, 3ZCA—I. A. Maschetti, 29 Glen St., Werribee. 3ZCA—I. A. Maschetti, 29 Glen St., Werribee. Malvern. R. F. Lloyd, 171 Cheddar Rd., West Park.
W. Rolls, "Rowilla," Goomalibee, Keon Park.

3ZGR—H. R. W. Rolls, "Rowilla," Goomalibee,
via Benalla.

3ZG8—M. Subocz, 103 Westgarth St., Northcote.
3ZGX—K. J. Benson, 39 Bridge St., Hampton.
3ZGY—C. Y. Tham, 1517 Burke Rd, East Kew.

3ZGZ—R. N. Ferguson, Nichol's Point, via
Midura.

Queensland 4ZBV-J. P. Hayden, 151 Maygar St., Windsor, 4ZBW-B. M. McDonald, Base Squadron, R.A.A.F., Townsville.

R.A.A.F., Townsville.

South Australia

5BA—Brompton Boys' Radio Club, Cr. 3rd and
West Sts., Brompton.

5BB—A. H. Behenna, 36 Stanley St., Crystal

Brook.

5DG—D. P. Gyles, No. 33, S.T.U., R.A.A.F.,

Edinburgh Field. Edinburgh Field.

SCX—G. Wilde, 112 George St., Norward.

SVQ—J. E. Elliott, Cornwall St., Berri North.

SZBB—R. J. Langdon, Cr. Railway Tee, and

Trumara Rd., Marino Rocks.

SZBV—C. A. Appleby, 7 Wolseley Tce., Woodlands Park.

SZBV—L. Horvath, 69 Penang Ave., Edwardstown.

SZCB-T. R. Friebe, 29 Telford St., Hillside.

SZDC-R. W. Parker, 55 Sixth Av., Ascot Park. Western Australia

8DL—D. Laws, 18 Coleman Cres., Melville. 8XO—H. O. Wanke, 50 Carew St., Katanning. 5XR—P. D. Roberts, 60 Park St., Katanning. 6ZBD—W. K. Hobley, Gardiner St., Moora. 6ZBT—G. W. Cattach, South Western High-WEBI-G. W. Cattach, South Western High-way, Yarloop. 6ZBV-B. R. Pryor, Geraldton House, Marine Tec., Geraldton, Secretion Rd., War-cona.

7ZZ-I. A. Nichols, 9 Cressy St., Newtown. Territory of Papus and New Guines 9RM-R. H. Murphy, Karanga Rd., Wau, New Guinea. SRR—R. R. Hooper, Port Moresby, Papua.

CHANGES OF ADDRESS

VK- New South Wales 2GY-J. V. W. Olsson, 154 Kareena Rd., South Miranda. F. Mackel, 12 Hinkler Cres., Lane Cove. 2UT—J. A. Todd, 31 Simla Rd., Dennistone. 2UY—S. J. Burke, Lot 4, Patricia Ave., Charles-2WF-W. A. D. Forman, 248 Warringah Rd., Beacon Hill. 2XK-W. J. Wilson, 278 President Ave., Gymes. 2ZD-W. J. Leetch, 20 Edward St., Wagga, 2ZS-W. J. Smith, Dymond St., Bargo, 2ABW-E. G. Baker, Havendale Av., Penshurst, 2ACG-A. Morris-Rees, Blacks Rd., Paxton. via Cessnock.

2ADR—A. A. Cheetham. 2 Bellevue Parade. 2ADV-C. McC. Hicks, "El Rancho," Forster. 2ADX-T. T. Hopgood, 589 Fisher Rd., Broken 2AGI-R. K. Phillips, 15 Gayling Rd., West Pymble. 2AHY—E. E. Hayles, Dental Hospital, Chalmers 2AHY-E. E. Hayles, Dental Hospital, Chaimers St. S. Sydney.
2AJU-J. M. Moyle, Sun-Herald Bidg., Broadway, Sydney.
2AIL-J. L. Leeds, Darling St., Menindee.
2APW-W. Wood, 99 Hume St., Goulburn.
2AQC-P. R. Ladd, 69 Bobbin Head Rd., Tur-

ramurra. 2ASR-S. N. Graves, 61 Chester St., Merry-

SBL—W. T. Lucas, 21 Enfield Av., East Preston, 3BP—D. J. Terrill, 113 Walker St., Ballarat. 3GP—R. C. Steele, 21 Roselea St., Sth. Caulfield, 3IZ—P. D. Williams, 3a Alma St., Maryborough. 3IS—B. J. Coles, Station: Lot 256 Wunnamurra Drive, East Kellor; Fostali C/o. P.O. Drive, East Kenor, Niddrie. Niddrie. M. Renshaw, Lot 8, Merry St., East 3TC-L. M. Renshaw, Los v., Ringwood. W. M. Ross, 471 Buckley St., West Ringwood.

3YD—R. W. M. Ross, 471 Buckley St., West Essendon.

3ABX—V. D. Bond, 8 Beauty Av., Mt. Beauty, 3ACI—V. P. O'Brien, Station: 20 Tucker St., Horsham; Posfal: P.O. Box 49, Horsham, 3AED—P. A. Delshenty, Lot 11, Alice St., Mt. Waverley. 3AED-P. A. Delshenty, Lot 11, Alice St., Mt. Waverley, 3AIO-W. R. Ion, 21 Margate St., Beaumaris, 3AN-J. Hill, 352 Auburn Rd., Hawthorn, 3APH-P. E. Playsted, Lot 9, Jordon Gr., Glen Waverley, 3APY-P. J. Dettmann, Station: 63 Duke St., Castelmaine; Postal: 45 Hutton St.

Kyneton.
3ARY-R. E. Yeats, 28 Elizabeth St., Clayton.
3ASC-S. T. Clark, 68 Jensen Rd., East Preston.
3AZB-L. R. Burston, 11 Mount Pleasant Drive,
Mt. Waverley.
3ZDK-K. J. McLachlan, 157 Church St., 3ZDK-K. J. McLachlan, Brighton, 3ZDL-D. H. Goldworthy, Lot 2, Crawford Rd., 4CD-C. McDonald, 76 Talford St., Rockhamp-

4CD—C. MEJODAIG, 78 TAHOTO SI., ROCKHAMP-TOM, SHIITON, 34 Naughton St., Rock-hampton. 4NM—N. G. Mills, 88 Dover Rd., Margate. 4OH—H. T. Overend, Mossman St., Mossman. 4UK—F. R., O'Sullivan, 173 Walker St., Bunda-4UK—F. R. O'Sumvan, 173 Wanter St., Dansaberg.

4WI—Wireless Institute of Aust. (Qld. Division),
C.O. A. H. Hinkler. 249 Buckland Rd.,
Wavell Heights, Brisbane.

4WT—N. J. G. Watting, Flat 4, 81 Eyre St.,
Nh. Wd. Townsville.

SFM—H. N. Devit Australia
SFM—H. N. Devit Australia
SFM—W. R. Devit Australia
Wood Feet Australia
Wood Feet Australia
W. R. Notiage, 7 Sweet-water St., Seacombe Gardens,
SFK—T. Hainsworth, Otterley Av., Bridgewater. Western Australia

6CK-C. Hayes, Box 40, Meekatharra. 6ZAH-L. E. Gooding, 41 Kennard St., South Perth. Tasmania 7MZ—H. W. Hancock, 195 Upper Steele St., Devonport.
7PF—P. D. Frith, 131 Tarleton St., Devonport.

CANCELLED CALL SIGNS New South Wales 2GP-D. A. Page, 65 Hassans Walls Rd., Lith-

2IQ—A. J. E. Robertson, 108 Brook St., Coogee, 2AEZ—E. A. Marstells, 64 Railway St., Gosford, 2AIC—A. G. Svenson, R.A.A.F. Station, Dubbo. 2AYO—R. C. Pulsford, R.A.A.F. Station, Dubbo. 2ZDD—R. H. Dell, C/o. S. Dayison, Cunningar. SEA-E. Anderson, 130 Osborne St., Williamstown.
3EP-M. R. Robinson, 129 Hedderwick St., SEN—B. Essendon.

SFN—B. M. Ferguson, No. 2 Second Court,
McGowan Ave., W. Preston. 3XA-D. V. Hope, 4 Elm St., Blackburn. 3ADE-B. P. Everett, \$5 Victoria St., Warragul. 3AHE-H. J. Bassi, 70 Moore St., Transigon. 3ASE-D. G. Anderson (Cpl.), R.A.A.F. Station, East Sale. 3ZEF-J. V. Hudson, 46 Donald St., Highett. Queensland

4AH-A. L. T. Hadley, 12 Willis St., Annerley, Brishane. 4BW-A. Couper, Lloyd St., Mareeba. 4ID-I. F. D'Arcy, 20 Bernard St., Brighton, Brisbane.

South Australia South Australia
5AG—A. G. Mulcahy, 25 Hart St., Semaphore,
5UM—R. L. Umbarger, U.S.A.F. Team 421, A.A.
C./o. P.M., Alice Springs.
5WX—H. C. A. Woskett, Radio Maintenance
SZGW. Wellon, C.O. D.C.A., Oodmadata,
SZGW. S. D. Norwood,
5ZBE—R. B. Connor, 59 Maitthews Are., Seaton. Western Australia

6SC-B. J. Schofield, C/o. 6AM Broadcasting Station, Northam.

Low Drift Crystals

AMATEUR BANDS

ACCURACY 0.02% OF STATED FREQUENCY

3.5 Mc. and 7 Mc. Unmounted £2 10 0 Mounted £3 0

12.5 and 14 Mc. Fundamental Crystals, "Low Drift,"

Mounted only, £5. THESE PRICES DO NOT INCLUDE SALES TAX.

Spot Frequency Crystals Prices on Application.

Regrinds £1/10/0

MAXWELL HOWDEN

15 CLAREMONT CRES., CANTERBURY, E.7, VICTORIA

KEN MILLIN, VK7KA



TERE is a Station that looks as good as "store bought" and sounds as good as it looks. Ken is an automotive engineer, but he stopped short of using a motor to drive this truck-mounted rig in and out of its cabinet.

In the main unit are the control circuits, main and minor rectifiers, Class B 807 modulators, fully shielded 813 p.a. band-switched from 80 to 10 metres with switched aerial couplers.

A modified Geloso exciter occupies the centre of the desk, flanked by two receivers: The AR7 has been "warmed up" with a low-noise front-end, ECH33 converter and series diode noiselimiter; and the left-hand unit, still growing, is based on a Gorler coil turret. The latter finds work for 16 valves, delivering a 3 Kc. pass-band in · 6a Minallo Avenue, West Hobart, Tas.

the 100 Kc. second i.f. stage, with a Q multiplier and peaked audio. Yes, there is a key and it gathers no dust Outside, Ken has a three-element 0-15 metre rotary, desk-controlled, 20-15 metre rotary, desk-c with selsyns to point the way.

UNIFORMS DUST COATS

for your Office Staff, Factory, Workshop, Servicemen.

Bowls Frocks, Tennis Frocks, for the retail trade.

D. MILBURN & CO. 238 Flinders Lane, Melbourne

LT.U. FUND DONATIONS

The required the above appeal to date set may be a set out the set of the control of the

The following list is current as at the 7th

£20/0/0 R. Pike, VK2ACU. Trade Donation—Ducon Condensers.

£13/3/0 S.W. Zone Convention at Canberra. £5/5/0 W.I.A. Hunter Branch N.S.W., VK2AWX; L. D. Bowle, VK3DU; Dr. W. J. Hart, N.S.W.

Canberra Radio Society, VK1ACA; Griffith Radio Club, VK2AGJ; R. G. Garrett, VK9RG.

£3/6/0 W. H. R. Stitt, VK2WH. £3/3/6 R. H. Cunningham, VK3ML.

£3/0/0 G. Kempton, VK2CI.

£2/2/0 A. F. Elliott, VK3AEL; Dr. B. R. Meldrum, VK5EM.

£2/0/0 G. E. Heinrichs, VK0KT; C. Cowan, VK2PZ; P. Page, VK2APP; K. Woodward, VK2ZAU. £1/10/0 G. S. C. Semmens, VK3GS; K. A. Lawrie, VK5AK.

£1/5/0 D. Robinson, N.S.W.

£1/1/6
G. F. Cole, VK2DI; T. F. Pyke, VK2ZZ; C.
A. Mackenzie, VK3ACM; N. McI. Cameron,
VK3NC; A. Parkes, VK8MO; K. J. Lambeth,

Coghlan, VK6RC.
G. Aschman, VK7GA; E. Burne, VK7GB;
R. Kilby, VK7RK; R. Bulman, VK7RL. Under £1/6/6
W.I.A. N.S.W. Division, VK2WI (9/8); H.
James, A.C.T. (10/-); E. Bennier, S.A. (10/-).

The progressive total receipts to 7th November are £1,807/17/3.

PERMITS GRANTED FOR TELEVISION EXPERIMENTS

VK— New South Wales 2AKK/T—K. Whitmore, 27 Cecil St., Ryde. 2AWW/T—G. D. Wheaton, 788 Anzac Pde., Kingsford. 2AZN/T-J. L. Pogson, 57 Redgrave Rd., Normanhurst. ZZCI/T—J. Dempsey, Farm 775, Yanco.

3AON/T-A. J. Henry, 1 Rosshire Rd., Newport. 3ATV/T—J. A. Hampel, Flat 4, 32 Hampton St., Hampton.

Hampton.

South Australia

5MR/T—J. R. S. Coombe, Pomond Rd., Stirling West. 5ZCR/T—A. C. Rechner, 36 Payneham Rd., St.

VHF

Frank P. O'Dwyer, VK3OF

Quile a mush to cheber, with consistent open-called a mush to cheber, with consistent open-tion T.E. and F.S. with sepredic E copenings. South T.E. and F.S. with sepredic E copenings. South T.E. and F.S. with sepredic E copenings. South T.E. and F.S. with seprediction of the con-lement on York V.C.S. a., "Vest housed have whilst the second week in Nov. should gravite to the company of the company of the con-well of the control of the control of the hare a field of explaining to do. Pertunately liked this year, reference only, being made to the control of the control of the con-wers and the control of the con-trol of the control of the con-trol of the control of the con-lement of the control of the con-trol of the control of the con-trol of the control of the con-trol of the con-trol

Good Action and the Committee of the Section Action and the Committee of T

the from 20 to 75 feet.

"Our best long distance contexts within the
"Our best long distance contexts within the
and Durban and Windowl (253). We have
and Durban and Windowl (253). We have
seen to get the sets results. On Prison Pittle
Cepher. (2500 worked CTICO, H98002. Vel.
April (2500 worked CTICO, H98002. Vel.
and (2500 worked CTICO, H980

will hold up the granting of same.

"50 Mc. stations are active in all ZS call
areas, ZSI to 6, ZES, VG2, VG3, VG3 and CR7,
present without at c. Among the more active
are ZSIB, SW; ZSID; ZSIG; Z; ZSSIV; JK,
CG CO, PG CY, ZSSIV; ZSIG, Z; ZSSIV; JK,
CG CO, PG CY, ZSSIV; ZSIG, ZZ, ASC; ZSF,
VGSCG; ZCWR listens very regularly on 50
Mc. and replies on 28.33 Mc, you can get a
cross band contact here, the same with a few
operate on 50 Mc. sw ho are not licenced to

"On Sunday mornings on a frequency of 50 and 50.040 Me. you will find a relay of Z51HQ and Z55L at 0650 GMT. This is done by Z55HV and Z55JK with our beams directed to VK land.

our beams directed to VK land.

"The most sctive period for 2S operation is aring the week-ends and during the evenings aring the week-ends and during the evenings aring the most of the period of th

EXTENSION OF USE OF THE 50-54 Mc. BAND

As a result of an application from the Federal Executive of the W.I.A., the P.M.G. Department has agreed to the use of the 50-54 Mc. band by to the use of the 50-54 Mc. band by Australian Amateurs for an extend-ed period to 31st December, 1959, conditional upon relinquishment thereof on one month's notice if such action should prove necessary. See Federal Notes for further in-

formation

[The following two letters were received prior to the above announcement being made. As one is an explanation and the other requests further assistance, I have included both.—Editor.]

VK4 EXPLANATION

On first residing the cryptic comments on On first residing the cryptic comments of the Wall of the Wa month further, and to give spring explosations were con-bactly spring and the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the control of the control of the con-trol of the con-tro

1958, and it is regrettable that neither these nor subsequent requests for advice were answered.

To continue our efforts, this Group, in the meantime, circularised all known 50 Mc. operators in VKs and we are pleased been received on submission of logs. To those "defaulters" in VKs who have received a further circular, even though their cere application of the control of

thanks.

Your log has been held here until some clarification of the position could be obtained. These logs are on hand: VKs 4JO, 4CH, 4LK, 4HD, 4GG, 4WD, 4NG, 4ZAA, 4ZAK, 4ZAP, 4ZAT, 4ZAX, 4ZAZ, 4ZBD, 4ZBH, 4ZBH, 4ZBH, 4ZBH, 4ZBH, 4ZBH, 4ZBH, 4ZBH, 4ZBK, and

AZGL.

To those readers who have not yet made
the effort, I hope that this display of unselfish co-operation by Institute members
selfish co-operation by the property of the
must point out that some of these logs are
books NOT a few sheets will be an example and an inspiration to give a little of
your time to assist this invaluable cause,
your time to assist this invaluable cause,
urgently—please Join us in helping young
urgently—please Join us in helping you

D. B. Hughes, VK4ZBD, Chairman, VK4 V.h.f. Group

50 Me. BAND LOGS F.E. has informed us that the P.M.G. P.E. has informed us that the P.M.G. application is a present considering our application of the Processing of logs has begun; 32DG for responsible for this processing and his is responsible to make the lower processing and his factorial application of the processing of the latest the processing of the latest the latest processing the processing the latest We would also like to start a tape library of 50 Mc. DX. Anyone able to assist in this regard should contact 3ZDG or the writer.

writer.

Some time ago the Group directed a letter to all Divisions requesting support for our programme. To date we have been favoured with replies from only two Divisions. I. F. Berwick, VK3ALZ, for the VK3 V.h.f. Group

breaks to your part of the world it will be the property of the world it will be initial contact and then with keep to get be initial contact and then within your con-one the contact has been established.

"I have not fold you anything about the "I have not fold you anything about the he RTSS until about of their rrs, some are using tial converters as supplied with the NGM, other are using hone-bull tial con-tact the way to be the world of the world of the using the war surplus rx RMM. We have more insterner than active operators. I hope that

it is not too long before we can exchange greetlings with fellow VKs and ZL on 59 feems at though we are all alike, have the same habls, the same hopes, and the same located. Read the VKS notes for information regarding test i.v. transmission on \$4.98 Mc. beamed north from Melbourne. The co-operate would be very welcome and an aid in the struggle for the retention of the 50 Mc. band.

Duralumin Aluminium Alloy Tubing for Radio Aerials * STRONG * NON-CORROSIVE

STOCKS NOW AVAILABLE FOR IMMEDIATE DELIVERY

ALL DIAMETERS-1" TO 3"

RECOMMENDED FOR TELEVISION AND BEAM AERIALS Price List on Request

STOCKISTS OF SHEETS-ALL SIZES AND GAUGES

GUNNERSEN ALLEN METALS PTY. LTD.

88-92 YARRA BANK ROAD, SOUTH MELBOURNE Phone: MX 4624 (9 lines)

Telegrams: "Metals," Melbourne.



that the SPACE SAVING Tilicrocap range extends from the smallest right up to 2 uF capacitance?

A.E.E. TYPE W99

MINIATURE METALLISED PAPER CAPACITORS are available in working voltages of 200, 400, 600 Volts D.C. and 300 Volts A.C. in values up to .04 uF. They have a "self-healing" feature which allows the capacitor to withstand accidental overvoltage. Type W99 are capable of operation in temperatures of up to 85°C. (185°F.).

A.E.E. TYPE W48

MINIATURE METALLISED PAPER CAPACITORS cover the range .05 uF to 2.0 uF in working vollages of 200, 300 and 400 Volts D.C. They also feature the valuable "self-healing" property, and 85°C. operation.

rype W48 provide higher capacitances in a smaller size, hence more efficient filtering for

Wide range covers

requirements of modern design.

CAPACITORS *Registered Trade- Mark

ufactured under licence from A. H. Hun (Capacitors) Ltd., London, by

AUSTRALASIAN ENGINEERING EQUIPMENT CO. PTY. LTD. 476 LATROBE STREET, MELBOURNE, FY 2638 N.S.W. Anents Wm. J. McLELLAN & Co. Pty. Ltd., 126 Sussex St., Sydney. BX 1131

VHF

(Continued from Page 16)

LOGS.—Logs have been received during the month of the common part of t

whose aid and co-operation these notes would be practically non-existent.-F. O'Dwyer, 30F

NEW SOUTH WALES

Hi chaps, well October has been a very full month for v.h.f. activities and started off with a well attended meeting at which an excellent lecture was given by Keith 32AV on selentum rectifiers.

constant increase was given by Seelin EZAV.
Chaverers—The moeting date consided with
the Chaverers—The moeting date consided with
the producing 14t note, converter kits, which
is producing 14t note, converter kits, which
consider properties with the converter kits, which
consider producing the control of the control
given to 10th 20th for dentile and proportion
produced to the control of the control
control of contr

and turther units will probably be available. The Hand-Who and a for conduct 1 history and the property of the

and a Companion to the service of Consist Up-Ara at the time of writing, several events scheduled the November including the Spring Field Day, will be given heat of the Spring Field Day, will be given heat of your applies agree and a feeting the service of your applies agree and a feeting the June of your applies agree and a feeting the June of Saturday evening, the 11th, starting that the property of the prope

Morse.—Our thanks go to Charlie 2AZK who as provided morse practice over the month, nd we feel confident that most of his progress will succeed.

50 Mgs.—There have been some openings to VK4, however by the time you read this the band should have really come good again. Barry 2ZAG has completed the 55 Mc. r.f. unit for Dural and the remaining items are in hand by members.

144 Megs.—Quite a few of the gang have been on the sick list and include 2RX, 2PD, 2ABZ, 2ZCP, and 2AWZ, but are all on deck

2ABZ, ZCCP, and ZAWZ, but are all on deck again. A welcome is extended to new sta-tions Keith ZZIK, Kev. ZZPC, Bob ZZIL, and addition. But well are selected from the con-dition and we are pleased for PRII's XYL, who attends most of our fox hunts. Doug ZASA and Stuart ZZOP have been heard in ACM and Stuart ZZOP have been heard in well so nears the end of another year, and po behalf of the V.h.I. Committee and Group, a Very Merry Christinas to all—ZAWZ.

VICTORIA

6 Metres.—October was the best month for DX on 6 for some time and quite a few break-throughs, both to VK4 and JA, occurred. Com-

pered with October 1807, the 1808 vession looks as if it will be much better. If the VKE game as if it will be much better. If the VKE game will be goon in the New Years as quite a bard will be goon in the New Years as quite a bard will be good to be the New Years and Years a

With very low collecting logs, a good reWith very low collecting logs, a good rewith some good openings to YKI and WKI plan
boughts (24A) hower from local Britaines
station (23DY working at lacests. Mrx. 4BD
boughts (24A) hower from local Britaines
station (23DY working at lacests. Mrx. 4BD
and DX fairs Houderson Mr. 6CD cond 4GAZ
for Boot Hull, Contest. Jack 4GO has built upon
menter 9 Me poul a raw middle mer, nose
one, nice 9 Me poul a raw middle mer, nose
of the poul and the state of the poul
for Boot Hull, Contest. Jack 4GO has built upon
menter 9 Me poul a raw middle mer, nose
of the poul and the poul and the poul
for poul and the poul
for poul and the poul
for poul for poul
for poul for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for poul
for p

SOUTH AUSTRALIA

Well at last I can write about some DX contacts on 50 Mc. Our first opening was on Sunday, 12th, when the JAs came through be-

tween 1 and 2 p.m. The next opening was Wednesday 15th, 1235 to 1339 hrs. Two JA88 were first heard working VK4, then into our QTHs. It would appear from a careful study of the weather map that these openings coincide with bursts of heat in the north of the State. In between these openings, Bob 4NG heard and worked at

The 19th was fair weather day for Comps 5EF with a nice opening to VK6, working 680 and six others. Managed to work Mick 62EP who is located at Wagin, about 155 miles north-east of Perth, before the band folded. I understand the VK6 boys had been hearing VKS for a full hour before Comps made the

Initial consect. In again on the 18th at 11.

The 3A1s were in again on the 18th at 11.

ged a considerable number with his 150w,
ged a considerable number with his 150w,
ince going Ron. October 25 was red letter day
for Col 3KO, with family sickness, decided
1000 hours worked 25 JAS, including those
hard to get JASs. The band again opened up
between 1800 and 1800 hours.

between 1000 and 1000 hours.

VES Likes prefer for 11st efforts in introduce the control of the SKC with Bill supplied and bust the coupers. There was a last minute rush and the equip-flere was a last minute rush and the equip-tion of the supplied of the supplied of the sup-tion of the supplied of the tion received. Seliki is enjoying his 20 Mc. mobile marine contacts and it seems rather unfortunate that he may be transferred to an-other ship trading between JA and W land.

My stop press news is from Col 5RO who has just received an airmall letter from K6RNQ who with W6SUE heard a VK5 two letter call testing on 50.050 at 0730 S.A.T. on Oct. 27.—52AW.

TASMANIA

Col. 7LZ. is on 59 and 144 Mc. as usual. He now has a 338 Mc. xtd 1 rig with a QQVQX70 most as a 338 Mc. xtd 1 rig with a QQVQX70 the converter, but no r.f. or mixer stage as yet. The 288 Mc. beam should be finished shortly. 7PE is now at Deveropert and has an excellent QTM. ThL is at 5 thinky and can hear active on 144 Mc. activity on the N.W. coast. The is string up 144 Mc. activity on the N.W. coast. Only 7Bq and TLZ. are in Launceston now.—ILZ.

XMAS SPECIALS OF SURPLUS GOVERNMENT STOCK * Go Mobile at low cost. 12v. Vib. Trans., 180v. to 365v. 80 mA., ex No. 22 Sets. 15/- or two for 25/-.

- ★ High Voltage P. Supplies, 850v. d.c. 200 mA., plus many extra parts, in metal case, £5/0/6.
- ★ Fil. Trans., high volt. insulation, 3 4v. windings, ea. c.t. 2 amps., new, 25/-
- * High Volt. Trans. for c.r.o., etc., 2,300v, aside, 4v, c.t. fil. (new), 30/-.
- * Heavy Duty H.T. Supply, 700v. and 250v. and 4v. windings, 350 mA. (at least), £5/10/0.
- ★ Heavy Duty Plate Supply, 600v. to 900v., 3 tappings, no Fils., as new, 500 mA. (at least), £8/0/0. (All above units are 230v. 50 c.p.s. operation.)
- ★ Audio Specials: New and as new, all one price, 10/-—600/60,000 ohms Line Trans., 600/150 to 600/150 ohms Line Trans.
- ★ Few Beams left, 2 metre and 5 metre, £9/0/0 each. * Block Condensers, 16 mfd, 525 p.v., high quality, 7/-.

THOMAS ELECTRICAL

64 FRANCIS STREET, YARRAVILLE, W.13, MELB., VIC.

Phone: MW 4021

Mail Orders F.O.R.





We at A. W.V. take this opportunity to extend to our many friends the sincerest of best wishes for a

Happy Christmas and a

Prosperous New Year



AMALGAMATED WIRELESS VALVE CO. PTY. LTD., 47 York Street. Sydney.

DX

Frank T. Hine, VK2QL

Only one contributor commented regards the use of QSO path and time in these not and that was in agreement with my ow thoughts so unless a change of mind tak place with DXers we carry on as usual. During the month I had visits from four of my contributors-VKs3CX, 4DO, 4EL and WIA-L3022, and was naturally pleased to see them, in the case of 3CX and 4EL not for the first time though.

first time though.

With the group of the number of the VK
With the group contains the time the collecting DK certificates, I think somewhere in the
magazine, and this page is probably the right
magazine and this page is probably the right
tificates should be given. I see some details
of Awarda, SUI sees some, and readers see
of Awarda, SUI sees some, and readers see
think Mr. Editor! I have one or two ready
my. Maybe it could go under the Awarda
one. Mr. Editor! I have one or two ready

now. Maybe it could go under the Awards III is the policy of this journal to publish any new Awards that we leased as the details and the Awards that we leaded in the details and the Awards and the Maybe and the Awards and the Awar

NEWS AND NOTES

NEWS AND NOTES
On my latest QSL from Danny Well whist
at VPYVB, a rubber stamp reads "Attractive
Yame II. Continuous Certificates are availEnclose II cents for Airmail, 6 cents regular,"
This is in addition to the rubber stamp which
appeals for financial assistance for the DXDY Continuous Continuous Continuous Continuous
One of the outstanding DX boys, WNSMS,
has decided to pull the Dg switch and is selling everything but his QSLs. (Can't see that

one.)
If you missed the recent DXpeditions to VQL another chance will be given when VQ-RR, performing a D-card ow, only, will be a voice of the voice of voi

phonies that are turning up on the bands of the Court of

on week-ends.

For those chasing WFX, OQOPD is selve on
For those the selve on
If you have been chasing MIZZ, don't waste
your time as he is another off,
All you have been chasing MIZZ, don't waste
parties as he is another off,
All Topic of the selve of the selve of the selve of the
All Topic of the selve of the selve of the selve of the
All Topic of the selve of the Armed Forces can
operate Amstern equipment.

Call signs and prefixes worked.
 z zero time—GMT.

MP4BBW is active on s.s.b. on 14 Mc. round 22007.

MP4DAA in a QSL sez his Lat. and Long.
are 25' 10' N., 52' 52' E. That will help you
to spot where Das Island is, as it is not on to spot where we seement maps.

It is anticipated that this will be given separate country status by A.R.R.L. as it is entirely separate from Bahrein, and under entirely independent shelkdom.

Do not pass FF8AC/GN by as he has been granted separate country status by the A.R.R.L. He is located in French Guinea.

Ness i located in French Guinea.

Y899M can work 3.5 to 28 Mc. and is quite keen to try 7 Mc. Contact him on one of the mount of the contact him on the contact him on the contact him one of the contact him one of the contact him on 14 Mc. CEPAC is active from Easter 1s. on 14 Mc.

C.W. EA9AC is active on 14 Mc. varying spots, round 0700z and EA9AB seems to follow a similar pattern. SMSWN/LA/P, LAZTD/P and LAZJE/P are all active from Spitsbergen. Have heard SMSWN being called round 0700z and 2000z. Another possibility is LACG/P reported on 25 c. c.w. LXIHM is active on 28 Mc. and he is OK

for a USL.

State of the Welther this was for a New State of the Welther this was for a New State spell or not I do not know, but hope you s.s.b. boys found him was for the Welther of th late afternoom, amount of confusion at the present time of the authenticity of the ZA calls being heard. There is supposed to be no legitimate operation from Abpana, but calls no legitimate operation from Abpana, but calls on the call of the call Kuwait is currently represented by 9K2AN, 9K2AT, 9K2AZ, 9K2AQ was G3FJU.

SEAT, SÉAZ. SCAC was GBTU.

CRIBAA is sill mixtually awaiting arrival of
CRIBAA is sill mixtually awaiting arrival of
The progress report on the last of the
the progress report of the last of the
the progress of the last of the last
the progress of the last of the
stateroom. She and CRBAI are on their way
to progress.

CTI being Grand Turks M.

CTI being Grand Turks M.

CTI being Grand Turks M.

State of the last of the
State of t operator.

operator.

fact it has been banned since 1983, so there is little doubt in view of information available to A.R.R.L., and others, that any QSOs with Turkey since 1983 were with illegal stations and will not be eligible for DXCC (A.R.R.L.)

and will not be eligible for DACC (A.R.K.L.)

vertelt.

vertelt is operating both 14 and 21 Mc. phone.

vosup is ex-ZD68X. Apparently many are
still looking for cards from his ZD6 activity,
so as VQ3HD is quite active on a number of
bands, you should be able to do something
about it.

about ft.

KAOIJ and KAOIK work 14 Mc. on alternate nights. This is Iwo Jima, so do not pass it by as an ordinary KA station as it earns separate country status.

Authenticity of 3WSFM is at present doubtful. He seems to be putting too strong a signal into Europe to be certain. nas into aurope to be certain.

Do not pass all PVF stations by as another Brazilian. PY-AFN, PYSC and PYTRE are cativity from here is possible as the locals become more proficient with their English. All cards should be addressed Phil Hendricks, cards should be addressed Phil Hendricks, rick AFB, Florida, and mark your envelope "attention PVF".

Activity on s.s.b. from TI9, Cocos Islands is planned for March or April 1959 for about named for March or April 1969 for about the week. KRSLP is another that you should not pass y. He is located on a separate island, and y the rules of A.R.R.L. DXCC is eligible ar credit.

for credit.

Tracial Oman is represented currently by
MPHTAC on 14 Mc. phone.

ZDBDT has been putting in a very strong
signal to the East Coast round 2000z on 14 Mc.

A change has been made in the Danny Weil
itinerary from that published last month. The
new one is Monterrat (finished here), An-

DX CORRESPONDENCE

OPERATION OF VK0CC DURING 1959

DX Editor "A.R."

Dear OM, will be operating from Macquarie will be operating from Macquarie will be offered by the state of the state DX Editor "A.R.,"

VK4FJ has been kind enough to offer is services as my QSL Manager-ence prompt QSL is ensured. I feel hat I am very fortunate to bave Roy's

QSLs will therefore be via VK4FJ un-der the following conditions:

er the following conditions:

(a) QSL cards received via the Bureau.

(a) Will cards received via the Bureau.

(b) R.C. coupons will be replied to by direct most condition of the cards MUST clearly indicate (c) All cards MUST clearly indicate for facilitate rapid log entry checking.

(d) QSL will be on a card-for-card basts only.

It is hoped that I can find time to work a lot of Hams throughout the world, especially those who require a VK0 s.ab. QSO and QSL. -Clive Cooke (VK0CC, ex-VK4CC).

Commission of the Commission o

Despite thoughts that UAIDZ was operating from Franz Joseph Land, it is not so, so don't let your blood pressure rise when you hear

let your blood pressure rise when you hear Mellas, I am in trouble J find I am getting more and more material for these notes, and space apparently not available. The list of a.b.b stations some of you were looking for if space will be available this time and pos-sibly some of the other sections of the page may be out also.

ACTIVITIES

7 Me.: 2AMB: VSIHU*, ZE2JC*, 2QL: VS-9MA*, BERS198: CO2QR, DL, HB, HC4IM, JA-IBXS, JA4HM, JA6ZU, JATOW, KA3PW, KH6, KX6BT, OK, ON, SM, SP, UA, UA9, UB, VS VS2CP, YO, YU, ZE7JO, msny ZS, Red de Ballour, on phone: JAIBOW, ZEZAM, KH6IJ. Balless, on phone: JAIROW, ZERAM, KHRIS, IA SH. G. G. WENDON, ZER-SENDON, ZER-UGGAW, FBSCH, MPMDAA, CREEX, FRCENFC ZER: ETRY, ETTOTO, EAGAF, TIRZ, OQ-5BB, 4XAWF, ZCHP, KCMUSK, HTHAI, YNDE, FURAD, ZENJOH HSICK, and many OKJA, UAOOM, FFSEZ, LUHL, CREEK, HBP, LZIWD, SUIM, LATF, FFSAJ, XZTH, VSSMI, VGSCF, VGSGJ, SWO: HCP, OYTML, FGBAT, SVWD-, VRIC, ZCSAC, VKIFE,





OSL SITUATION QSL SITUATION
QSL 10 hand are 2 AGIBU UCXCB, YOUTH
USER, YOUTH WAS ASSESSED AS A STATE OF THE ST

OTH OF POSSIBLE VALUE QTH OF POSSIBLE VALUE
SVOWAE—H. T. Cogburn, HM/I, USCGC Courier, WAGR410, APO223, New York.
VPSBJ—QSL via R.S.G.B. Station Sth. Georgia.
9K2AT—Box 223, Kuwait.
F2CB/RC—G. Baris, Caserne Battesti, Ajac-cio,

Corsica.


ZD7SE-C/o. P.O. St. Helena.

The next to for once will be last from me Ten next to for once will be last from the state of th who have been rimiting notes to me you can May House the month for their help go. for May House the month for their help go. for the second of the second of

As this will be the issue you will all see before the festive season, the next one being too late, may I wish you one and all the best of season's greetings and many new ones for 1909.—73.

REDUCE THE SIZE AND COST OF YOUR NEW EQUIPMENT

TYPICAL. UNITS USING **ZEPHYR** MATRIX SYSTEM



Leaflets and Price List available from all leading Wholesalers.



Enquiries invited from

Manufacturers.

ZEPHYR PRODUCTS PTY, LTD.

58 HIGH STREET, GLEN IRIS, S.E.6, VIC.

FEDERAL Fed. President: G. M. Hull, VK3ZS.
Fed. Secretary: L. D. Bowie, VK3DU, Box 2811W, G.P.O., Melbourne, C.I., Vic.

Federal Councillors:
New South Water Bob Codsult, VKZARG.
New South Water Market W. VKZARW.
New South Water Market W. VKZARW.
South Austrolia—Rex Richards, VKSDO.
Western Australia—Ron Hugo, VK&W.
Tasmania—Doug. Fisher, VKTAB.
Papua-New Guinea—Russ Coleston, VKSKK.

ed. Contest Committee: Reg. Harris, VK5RR, Secretary, Box 1234K, G.P.O., Adelaide, S.A. Street, Box Hill, E.11, Vic.
Awards Manager: A. G. Weynton, VK3KU, 5 York Street, Bonbeach, Vic.

NEW SOUTH WALES President: Perc. Healy, VK2APQ

Secretary: Norm Beard, VK2ALJ, Box 1734, G.P.O., Sydney.

GJ-FO. Sydney.

Meeting Night Fourth Friday for each moment of Meeting Night Fourth Friday for each moment of the Control of t VICTORIA

President: F. G. Bail, VK3YS. Secretary: J. R. Lancaster, VK3JL.

FEDERAL

EXTENSION OF USE OF 50-54 Me. BAND EXTENSION OF USE OF 50-5 Mc. BAND
As a result of an application from the Federal Excentive of the W.I.A., the PostmasterGeneral's Department has agreed to the use
of the 50-51 Mc. band by Australian Amateurs
for an extended period to 31st December, 1350,
conditional upon relinquishment thereof on one
month's notice if such action should prove

meanthy nestice II such action access pre-ulty of this band was granted for the Geo-physical Year which at the time of application. The current extension for the use of the band will permit another twelve months in which the current extension for the use of the band will permit another twelve months in which the company of the company of the company of the Tor economic reasons, the Department will the the company of the treatment of the company of th

CONTEST CALENDAR Compiled by W.I.A. Fed. Contest Com.

ROSS HULL MEMORIAL V.H.F.: Dates: 1st Dec., 1958, to 31st Jan., 1959. Bands: All v.h.f. bands. Rules: Same as for 1956-57. Special Award for greatest distance over 3,000 miles.

NATIONAL FIELD DAY: Date: Sunday, 25th January, 1959. Bands: (1) H.f. (2) V.h.f. Rules: 'As published in Sept. "A.R.," page 16.

B.E.R.U., C.W.:
Dates: 0001 GMT, 17th Jan., to 2359
GMT, 18th Jan., 1959.
Bands: 3.5, 7, 14, 21, and 28 Mc.
Rules: As for 1958.

W.A.E.D.C.

Detes: C.W.-2100 GMT, 9th Jan., to 2100 GMT, 11th Jan., 1899.

Bands: 3.5, 7, 14, 21, and 28 Mc.

Netc: Owing to lack of support last year to the Phone Section, this section has been deleted this year.

OK DX CONTEST: Date: December, 1958. Bands: All h.f. bands.

NOTES

Administrative Secretary: Mrs. May, C.O.R. House, 191 Queen St., Melbourne. Meeting Night: First Wednesday of each month at the Radio School, Royal Melbourne Tech-nical College.

Divisional Sub-Editor: V. M. Jones, VK3YE, 7 New St., Surrey Hills, E.10. SL Bureau: Inwards and Outwards-W.I.A., 191 Queen St., Melbourne, C.1, Vic.

Jul Queen St., mersoluris, U.; W. Kinsella, W. Zimmer, W. Kinsella, W. Warmanbool, and W. Zimmer, W. Kinsella, W. Kinsella, W. Zimmer, W. Kinsella, W. Kinsella,

QUEENSLAND President: John Pickles, VK4FP.

Secretary: W. J. Rafter, VK4PR, Box 638J, G.P.O., Brisbane. Meeting Night: Fourth Friday in each month at the State Service Union Rooms, Elizabeth Street, Brisbane. Divisional Sub-Editor: A. Simpson, V&4ZAE, Cr. Baden Powell and White Sts., Everton Bureau: Jack Files, VK4JF, Vanda St.,

FEDERAL OSL BUREAU

Zone Correspondents: Maryborough: R. J. Glassop, VK4BG, 80 North St., Maryborough; Townsville: R. K. Wilson, VK4RW, Hogan St., Stuart, Townsville.

SOUTH AUSTRALIA President: B. W. Austin, VK5CA.

WESTERN AUSTRALIA

President: L. Roeger, VK6HR. President: L. Roeger, VKSHR. Box N1002, G.P.O., Perth, W.A. Meeting Night: Third Tucsday of menth at Meeting Night: Third Tucsday of menth at Meeting Night: Third Tucsday of menth at Divisional Sub-Editor: J. R. Eims, VKSHZ. 29 Central Road, Kalamunda. QSL Bareau: Jim Rumble, VKSRU, Box F319, G.P.O., Perth, W.A. (Inwards and Outwards).

TASMANIA President: P. E. L. Dunne, VK7PD.

President: F. E. L. Dunne, VKTPJ.
Secretary, K. E. Millin, VKTKA, Box 371B,
Meeting Night: First Wednesday of each month
at W.I.A. Culturon, Hr Liverpool St., Hobert,
18 Brooker Ave., Moonah.
St. Burcau: J. Batchler, VKTJB, 39 WillowSt. Burcau: J. Batchler, VKTJB, 39 WillowZone Correspondent: North Western ZoneTerry Tong. Northern Zone-Ray Waldon-

PAPUA-NEW GUINEA President: F. N. Nolan, VKSSN.
Secretary: G. A. Greville, WIA-L9004.
Divisional Sub-Editor: R. Clark, WIA-L9001,
P.O. Box 204, Port Moresby.
QSL Bureau: D. S. Brown, VKSSB.

jurisdiction of Great Britain and the U.S.A. It is an international airport and personnel on this island are permitted to use the prefixes VR and KB6, depending upon their individual nationality. Effective 1st November, 1958, therefore, the

Effective 1st November, 1988, therefore, use position is:

1. All credits already established for VRI the state of the control island will be credited to British and will be credited to British and the state of the companion of the state of the state of the Group will be credited to that group.

A companion of the state of the state of the treated as two distinct countries.

Leaded he mode that all claims for American control the state of the

It should be noted that all claims for American Phoenix Is, cannot be based on contacts with stations operating on Canton Is. This is primarily in British Phoenix and will be thus credited.

Records will be amended to give credit to British Phoenix Is. where DXCC members have already submitted QSLs for contacts on Canton Island. Anyone not having credit for American Phoenix may now proceed to secure the credit. DXCC COUNTRIES LIST FOR LAR.U. USE

As already indicated, a list of countries for DXCC use on I.A.R.U. members is being prepared for submission to the other two members of the committee, viz. the R.S.G.B. and the or the committee, viz. the R.S.G.B. and the A.R.R.L.
Pending the completion of this list and its ultimate acceptance by the committee, there will be no further changes in the W.I.A. List of Countries.

APPLICATIONS FOR W.B.E. AWARD Intending applicants are again reminded that all applications must be accompanied by a money order made out in favour of the R.S.G.B., payable in London, for the sum of seven shillings sterling currency.

-G. Weynton, VK3XU, Manager.

FEDERAL QSL BUREAU Over Roya Bas. Carries No. 277. Viboration of the Control of FEDERAL AWARDS DXCC-BRITISH PHOENIX ISLANDS

-SILENT KEY-

It is with deep regret that we record the passing of:-VK3DP-Jim Farrer, Oct. 25. VK4HM-Harold J. Murphy.

NEW SOUTH WALES

Attendance at the October monthly meeting was the highest yet, some 150 members gathered and demonstration by your management of the property of the property

The President reported that the 1000th mem-er was the Canberra Radio Society. The umber was now over the 1000 mark, which cluded individual members of the Society, it was decided that a committee be formed deal with the question of liaison with

to deal with the question of Ilaion with John Moyle overed the principles of recording and reproduction of stereo sound on discs and then demonstrated its effect by playing and the production of trains, motor cars, orchestras and opera. It was certainly effective, the thunder of trains in subways and shunting in the state of the

W.I.C.E.N. NOTES

blocking. The way was the way are because the way are been to be a superior of the work below the way to be a superior of the work below the way to be a superior of the court of the way to be a superior of the way to be a superior of the court of the way to be a superior of the way to be a superior of the court of the way to be a superior of the court of the way to be a superior of the court of the way to be a superior of the court of the way to be a superior of the court of the way to be a superior of the court of the way to be a superior of the court of the way to be a superior of the court of the way to be a superior or of the way to be

Forty-one stations, stretching from the usensiand border to the Victorian border and to far west of the State, were in the hook-p. Some transmitted on 2573 and others on 500 Kc, and despite a bad night with abnorm-ly high static level, the exercise was a com-

The hard designer and contents was at com-plete access. Of the Civil Defence Organi-pation and momber of his headquarters staff in the control of the country will be a control of the country will be a control of the country will call a staff of the country will call a head to hear for themselves the potential of the The correction proved the effectiveness of re-solvent by means of v.A.f. light from a loca-veters by means of v.A.f. light from a loca-veter by means of v.A.f. light from a loca-tic would have made if impossible to receive authorities the part W.I.C.E.N. can play in time of need.

HUNTER BRANCH

Things have now quietened down considerably after a busy month of Annual Dinner, and the property of the control of the contro

generations. Solve you, between the ry-popular are offens the control of the cont

All present enjoyed the viewing which were of excellent quality and the voice reproduction true and well enunciated. Thanks Wal the production of the shakey isles, the few extras at the end were by courtesy of Norm Otty and depicted shots of Dural, Blackalls and the 2ZL-2AQR due on one of Bill's puff-puffs.

some on aural, Hisckells and the 22L-AAR,
The business of the meeting was short and
esting secretary flutherland (live-wire Gordon).
The business of the meeting was short and
esting secretary flutherland (live-wire Gordon)
of the control of the c

receive one agent expending the first product of the property of the partners and before Transack Germany with the partners of the partners of

BLUE MOUNTAINS SECTION

BLUE MOUNTAINS SECTION
Formed in January of this year, the Blue
January of the January of the
January of the January of the
January of the January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the
January of the

parties in the Blue Mountains, Emu Plains and surrounding areas, the Blue Mountains Club became extinct as such and became the Blue Mountains section of the W.I.A., N.S.W. Div-ision. Th following office-bearers were elected. President, Wal Cromie, 2MZ; Secretary, Bill Moore, 2MZ; Tressurer, Norm Durham, 2QA: Prablicity Officer (and your scribe), Bob Lear

Publicity Officer (and your scribe), Bob Lear All Members who have attended the meetings to date include: Svd 2AVR, Bill 2ACP, Con 2LZ, Don 2ART, Kelft AJRK, Dws 2VR, 2HZ, 2MZ, 2MZ, Dws 2MZ, D

5 and 2 mx walkie-talkies and base stations and are proceeding apace. We hope by the time summer heat brings on the danger per-iod, we will be equipped to meet any con-Meetings are held on the third Friday of every month and all interested are invited

every month and all interested are invited to 0.00 Cotober 25% we held our first official field day at Catalina Park, Katoomba. It was dead of the control o

a several hundred feet deep gorge.

After lunch, the 2 mx boys swung into speration again and in a hotty contested Sermble, ZCCF, ZAWZ and ZWF each made Sermble, ZCCF, who, incidentally, carried home the prize of the day, a half-ton genemotor requiring the resources of Bunnerong Fowerhouse to run it.

We're looking out for a great thy mobile signal We're looking out for a great big mobile signal from him now.

At the same time the 7 Mc. Scramble was also in operation and on a very quiet band, was won by Jack 2ALQ who carried off the cup. Second was Bob 2ASZ and third Nev. 2DR. cup. Second was Bob 2ASZ and third Nev. 2DX.
Many of the ladies and harmonics vanished
from OM's view on a conducted bus tour of
the beauty spots and returned happy at 4 p.m.
the pearly spots and returned happy at 4 p.m.
the pearly spots and the spots of the competitions were going on honers and other competitions were going on honers and other competitions were going on honers and the pearly
handed out to all at 4.30 p.m. and we hope
all went home vowing to come again next year.
See you all next month. 73.—2ASZ.

VICTORIA

Big things took place at the last meeting inglet. Firstly the special general meeting considered the recommendations of Council reacting the increase of fees to meet rising control of the council recommendation of the first land of ours. Some council recommendation of the fraternity had keen objects to parting with the extra required. tions to parting with the extra required. Most of the points raised against the rise were very forcibly put, especially the thoughts about avenues for economy and all should be re-submitted for further consideration at the fact remains that the incomings are not enough to meet the outgoings, and the situation is cailing for attention.

the het remains that the incoming are not as a calling for citeration.

After all the two conditions had but the inclusion of the calling for citeration of the condition of the calling for t

NORTH EASTERN ZONE

the Annual Convention of the Zone was held

annual Convention of the Zone was held

down by Brecow and the Sone

*** Greetings **** TO WISH ALL FELLOW SCRIBES

the following: -

(a) Good Health to You and Yours. (b) Happiness for ditto.

(c) Good Fortune ditto ditto.

If you have (a) and (b), (c) is a pushover

FOR 1959 - A TOAST!

"Here's to double spacing and wider margins on all your copy, and be early or else . . . Sub-Editors Mk. I., II., III., and IV.

A Happy Christmas

a Prosperous New Year

TO ALL OUR FRIENDS

THROUGHOUT AUSTRALIA

IRONCORE TRANSFORMERS PTY. LTD.

HIGSON LANE, MELBOURNE, C.1.

Tel.: MF 4771

GEELONG AMATEUR RADIO CLUB

Bush paid us a further visit to discuss our heal Mare coullised the aims of evel defence the could be also as the could be also as the could be aims of the could be aims of the could be also as the could be also as the could be also as the could be aims of the

Adelaide. Imagine how pleased Arch 3BW. of Dortarington, was when 30 of our member of Dortarington, was when 30 of our member of december of the second of the second and the second of the second of

QUEENSLAND

QUEENSLAND

With the year residity descript to a close, foul arrays are continuously and the organizers. The comment of the organizers are continuously as the organizers of t

you loss your occasional DX. So what about Country was informed by Bert AdO that the Country was informed by Bert AdO that the very disappointed on incrinsic that only a small very disappointed on incrinsic that only a small very disappointed on incrinsic that only a small very second to the control of the country of th

in 1864 and all who knew him will be undered. At this time of the year it is as well to At this time of the year it is as well to the property of the character of office-bearers. Hency of the character of office-bearers alway of the character o

OBITUARY

IIM FARRER VESDP

It is with regret that we record the pass-ing of Jim Farrer, VKEDF, of Deep Lead (via Stawell), on October 25. Jim had not been enjoying the best of health for some time, but he had improved, and it was thought that he was on the mend. How-ever, this was not to be and the end came

seer, tans was not to be and the end came suddenly.

Jim was of a quiet, kindly nature, always was very popular in this district. He saw Active Service with the Air Force in the Middle East as Wireless-Air Gunner. His Middle East as Wireless-Air Gunner, His hadly injured. Perhaps it was this exper-ience that hastened Jim's passing.

Our deepest sympathy poes to Jim's wife, Myrick.

HAROLD JAMES MURPHY, VK4HM

wite, Myride.

HAROLD JAMES MUEPITY, VKERN THROUGH Myridy was been in Jordan of the John o

give.

He counted amongst his extra special friends in the Amateur community Esmond Waddel, VK40Z, and often spoke of the long and frequent QSOs they had to-

All who were associated with him will sympathise with his family and mourn his loss for he was a true gentieman who observed the "Amateur's Code" in all phases of his life.

the Institute. The City Council decided that, as it was one of the few remaining buildings of early Brisbane, it would be kept vacant instead, to preserve its historic identity. Other plans for a possible hdq. are being investigated

at present.

General business was taken up largely by
v.h.f. discussion centering around the 6 mx
band. After a prolonged discussion, standing
orders were suspended and the meeting was
duly closed at 10.30 approx. At the meeting, our President, John 4FP, announced that he would not be taking the chair at the next general meeting as he plans a motoring holiday in New Zealand. Bon voyage John.

TOWNSVILLE

The club meeting held on Thursday,, Oct. 30, was very well attended, although most members came in very late. We were happy

the mirrials three citiers, namely, decognized that the control values of the control value o

times to do them all over and now, as John Charlis Barr, who passed the previous technical examination, was accessful in the more noticed to the control of the control of

SOUTH AUSTRALIA

As a result of President Brian SCA going with a constitution of the state of the st

signed six of them to membershap, the same property of the control of the control

BOOKS OF INTEREST TO ALL RADIO ENTHUSIASTS

* A.R.R.L. HANDBOOK 1958	46/3 + 2/- postage
* A.R.R.L. ANTENNA HANDBOOK	28/- + 1/6 "
* PHILIPS' VALVE DATA HANDBOOK	18/6 + 1/- "
★ GUIDE TO BROADCASTING STATIONS, 1958-59, Wireless World	4/2 + 6d. "
* WIRELESS FOR BEGINNERS, Bolts	15/9 + 1/- "
* QUALITY AMPLIFIERS FOR A.C. MAINS, Data Publications	6/9 + 7d. "
* BEAM ANTENNA HANDBOOK, Orr	32/6 + 1/- "
* V.H.F. HANDBOOK, Orr	36/- + 1/- "
* MINIWATT TRANSISTORS, GERMANIUM AND SILICON DIODES	6/6 + 7d. "

MAIL ORDERS BY RETURN

McGILL'S AUTHORISED NEWSAGENCY

Est. 1860
"The Post Office is opposite"

183-185 ELIZABETH STREET, MELBOURNE, C.1, VICTORIA

Phones: MY 1475-6-7

THE "MACRON" CRYSTAL TURNOVER PLAYER CARTRIDGE TYPE H.F.11

Made in Australia to suit Australian conditions

by MACRON ELECTRONICS PROPRIETARY LIMITED, 54 High Street, Glen Iris, Victoria

LET US LOOK AT THE FACTS:

- ★ Clip-in insert. Can be replaced without removal of mounting bracket.
- ★ Half inch and centre mounting interchangeable with standard
- ★ Robust construction with positive positioning for "Standard" and "Longplay" positions.
- Non-hygroscopic adhesives used throughout in the manufacture of the crystal element.
- AGENTS: D. K. NORTHOVER 115 Murray Street, PERTH, W.A.



NEIL MULLER LTD.

- ★ Slip-in Sapphire stylli, interchangeable with standard makes.
- * Replacement stylii available, also fit other standard cartridges.
- ★ High compliance, which ensures good tracking, thus resulting in low record wear.
- ★ Wide frequency response, enabling the utmost realism from modern wide-range recordings.
- * Attractively and safely packed in

sealed clear-plastic container.

JACOBY, MITCHELL & CO. PTY. LTD.

469 Kent Stret. SYDNEY. N.S.W.

Marketed by ZEPHYR PRODUCTS PTY. LTD., 58 HIGH STREET, GLEN IRIS, S.E.6, VICTORIA

Rex 5DO was well received and indicated by its warmth that the programme which had been deferred for some time was worth wait-The A.O.C.P. class is still in process of form-ing, so any of you who have not lined up, or given your intentions to Norm, should do so now to get into the class and not miss any

inclusion. In this country the friends and price in the same concern, and the appears a long and the same concern, and the appears a long and the same concern, and the appears a long and the same concern, and the same co

The NTL row at Research and not at Albes Springs chang, he is still getting cails from the control of the contr

TASMANIA

NORTH-WESTERN ZONE Christians is fast approaching and set and the results of the work of the work

Last month the first of our instructional nights was held in our usual meeting place and for a "first night" it was a huge success and a real credit to the organisers. A score or a real credit to the organisers, a score or to a good lecture on the many and varied uses of the trusty g.d.o. by George TXL, who also gave practical demonstrations where possible. Truly a versatile instrument the same g.d.o.

of the trusty g.d.o., by George TXL, who also
of the trusty a verse it was a g.d.o.
Free TYP gave a very virid demonstration
from which you could bear the decrease and
free trust was a country of the control of the
free trust was a country of the country of the
free trust was a country of the country
free trust was a country of the country
free trust was a country of the country
free trust was a country
free trust was

are both filling in the necessary forms as fast as possible. It is to be hoped that we can find a photographer game enough to take our Trust some of you will answer our pleading calls of CQ some time in the near future.

MARKETERN TANK

calls of CQ some time in the seer course, which was considered to the constraint and the

beams and super regents out or mouseurs a pollun Case a pollun Case of IZ. are a burning the midnight oil working on 288 meg. rigs in preparation for a first contact with VKG land, from the control with VKG land. The next meeting will be held at my place at 11 Mayne three Lives will be held at my place at 11 Mayne three Lives will be held at my place at 11 Mayne three Lives will be held at my place at 11 Mayne three Lives will be held at my place at 11 Mayne three Lives will be held at my place on the control will be held at my place of the control will be held at my place will be held at my place three will be held at my place will be he

PAPUA-NEW GUINEA

PAPUA-NEW GUINEA

There has been more activity on the bands fore this most is condition throughout the property interests in the condition throughout the property in the prop

INDEX TO VO	LUME 26-1958	Part Four Jun. p.5 Part Five Jul. p.3
ANTENNA, ETC. djustment of Gamma- Matched Parasitic Beams Jul. p.11 sts with Multiband Com- ponents and the VK2AOU Triband Beam May p.2 te Triband Beam at VK-	Multiple Position Crystal Holder Sep. p.6 Remote Tuning of the Cub- fical Quad Sep. p.8 Splicing 300 MR Ribbon Oct. p.43 Splicing 300 St or Ctookes, etc., with Perspex Strips Aug.p.13 Tuning Rods for LF, Trans-	Part Six
2AOU Jun. p.2 Mc. Quad for 300 Ohm Feed Jul. p.9 AUDIO FREQUENCY EQUIPMENT AND DESIGN C.H.L. Modulation Sys-	formers Aug.p.13 Useful Octal Plug Apr. p.12 Using Film Reels as Capacitive Hats Dec. p.9 How's Your Soldering? Jan. p.5 Link Coll Formula Jun. p.16	TRANSMITTING An Audible Tuner Sep. p.6 Capacitive Neutralising Hint Dec. p.11 Crystals Substitute Mechan- ical Filter Sep. p.3

"Analysis of Bistable Multi-	Hans Ruckert, VK2AOU At
vibrator Operation" May p.16	Arnold Holst, VK3OH Se
"An Introduction to the Cath-	Ron Fisher, VK3OM No
ode Ray Oscilloscope" Apr. p.3	Ken Millin, VK7KA De
"Basic Mathematics for Radio	Ian Nichols, VK7ZZ Oc
and Electronics" Oct. p.41	Need Some Polystyrene Ce-
"Dry Battery Receivers with	ment? Se
Miniature Valves" Sep. p.7	Propagation Studies on 3.5
"How Television Works" Aug.p.16	and 7 Mc Ap
"Industrial Rectifying Tubes" May p.16	QSL Cards Ma
"Quality Amplifiers for A.C.	Read-ing and Writ-ing for
Mains" Jul. p.8	Em-erg-ency Net Op-er-at-
"The Radio Amateur's Hand-	Emi-erg-ency Net Op-er-at-
book" Jul. p.8	Rules of the Australian DX
When Calastian Cuidell Man 14	Century Club Award De
"Tube Selection Guide" Mar.p.14 "Tubes for Computers" Mar.p.14	Test Meters and How to Use
Tubes for Computers Mar.p.14	
"T.V. Fault Finding" Apr. p.3	The Duties and Powers of
"U.H.F. Tubes for Communi-	
cation and Measuring	W.I.A. Federal Contest Com-

Villa, Milliandoor	Dec. 5.10
CONTEST RESULTS	
Ross Hull V.H.F. Contest Re-	
sults	May p.13
1957 Remembrance Day Con-	
test Results	Jan. p.6
Additional Entry	Jun. p.12
1957 VK-ZL DX Contest Re-	

.... Aug. p.9

Adj Tes

tem

1958 National Field Day Re-Apr. p.12 1958 Remembrance Day Contest Results ... Dec. p.12 MISCELLANEOUS

An Automatic Morse Keyer Dec. p.7 Applications of the Grid Dip Oct. p.33 Oct. p.33
Australian DXCC Alphabetical
List of Countries by Prefix Jan. p.12
Blinding "Amateur Radio" Oct. p.41
Blind Lad Passes Oral Examination Jun. p.16 Frequencies for Net Working for Emergency Nov. p.5 Hints and Kinks:

An Audible Tuner

An All-Band R.F. Choke .. Aug.p.13 A "Tee" Trap for V.H.F. .. Jul. p.12 Audio Frequency Test Sig-nal without an Audio Oscillator . Aug.p.13 BC221 as a Carrier Injec-tion Generator for S.s.b. Aug.p.13 Cheap Scriber with Renew-able Tips Aug.p.13 Coil Former from 35 mm. Connectors Dec. p.9 Film Cassette Sep. p.6

Dismantling a Mast Flux for Nichrome and Dec. p.9 Nickel Aug.p.13 Nickel Aug.p.13
Insulated Feed-Through Dec. p.9
Making Coil Formers Sep. p.6
Mobile Hint: A Pencil When
You Neet It Jul. p.12 Meet the Other Amateur and ug.p.14 ep. p.13 ov.p.11 ec. p.15 ct. p.41 ep. p.12 pr. p.2 ar.p.13 al. p.7

ec. p.5 eb. p.5 mittee May p.16 Oct. p.13 The Improved Dipper The Improved Dipper
Time Delay Circuits for Use with Mercury Vapour Rectifiers Sep. p.5

VK2WI—Headquarters Station of the VK2 Division and Central Control Station of W.I.C.E.N. in New South Wales Oct. p.28 Warning! (Reference Batter-. Federal President's W.I.A. Report Nov.p.12 Vears of "Amateur Radio" Oct. p.9 RECEIVING

New Receiver Tuning Principle Jul. p.2 An Experimental High Frequency Transistor Portable Superhet. Receiver Oct. p.6 Double Conversion Plus Getting the 1155A Going Aug.p.13 Jan. p.3 Modifying the AR7 Receiver, Part Six Dec. p.3 Overtone Crystal Oscillators ... Prevention of Interference by Aug. p.2 Television Receivers Quartz Crystal Filters May p.17 Dec. p.3 Temperature Compensation in Transistorised Receivers he Command Twins—A Jun. p.9 Cheap All-Band S.s.b. Re-Jun. p.19 W.I.C.E.N. Communicator

Oct. p.3 Transistorised I.F. Amplifica-Nov. p.3 Who's Afraid of a Receiver? 288 Mc. Crystal Controlled Mar. p.7 Aug.p.11 TELEVISION Amateur Television:

 Part One
 Mar. p.2

 Part Two
 Apr. p.4

 Part Three
 May p.7

Sep. p.3 Harmonics and Selectivity of Transmitters-Part Two ow to Tune Your Pi-Net-Jan. p.2 How to Tune work Final Sep. p.2 Link Coil Formula Jun. p.16 Overtone Crystal Oscillators
Matematical Considerations of Aug. p.2 S.s.b.
Tests with Multiband Com-Feb. p.2 ponents and the VK2AOU Triband Beam May p.2

The TA2 Special The W.I.C.E.N. Communicator Oct. p.3 VALVE DATA

6CB6—Sharp Cut-off Pentode Mar.p.14 6U8—Medium-Mu Triode, Jan. p.10 tode Jan. p.10

HAMADS

Advertisament unter this handling will only be accepted from Institute Memors and estimate the desire of dispose of equipment which is their own personal property. Copy must be received by 8th every constant of the control of the c

FOR SALE: AMR101 Receiver in ex-cellent condition. G. V. Randall, 45 Bellevue St., Chatswood, N.S.W.

FOR SALE: A & R 75w. Mod. Transf. and A & R Type IT588 driver transf. Both brand new, never used. One American ATR inverter, 32v. d.c. to 230v. a.c. 100-150w. output. J. F. Anderson, Nullawarre, Vic.

FOR SALE: Eddystone S640 Com. Roceiver, perfect condition, complete with Handbook. Continuous coverage from 1.7 to 32 Mc. B.f.o, Nil., phasing type crystal filter, full elec. bandspread, bandswitched. Immediate delivery, bandswitched. Immediate delivery, Price £60. P. Page, Stoneridge, Mont-eagle, N.S.W. Tel. 206 Monteagle.

FOR SALE: Variety of crystals go-ing cheap. Send for list. Roth Jones, 131 Queen St., Melbourne, Vic.

SELL: Johnson (U.S.A.) "Matchbox" Universal Antenna Coupler-tuner, brand new, never been used, beautiful job, complete with change-over relay

Match anything. At cost, £33. H. Wohlers, Templeton St., Wangaratta. WANTED: Handbook and Circuit Details of Marconi CR100 Receiver. D. Gilder, 11 Gleeson Ave., Burwood, Vic. BX 7609.

II OMECI EVERYTHING IN RADIO AND TELEVISION

AMATEURS'

BARGAIN CENTRE

ROLA SPEAKERS

£1/12/0 £1/11/6 £2/1/0 £1/17/6 £2/8/0 03.7 .. £3/3/0 12-0 €6/0/0 4-5C 4-5F 12-O De Luxe £6/10/0 SC .. £1/13/6 12-MX, twin cone. £6/16/6 5-7H 12-OX, twin cone, £11/4/0 £2/5/0 £2/18/6 12UX Hi-Fi. 15 6-9H _ £2/15/0 ohm V.C. £ 28/19/6

8-PA £3/3/8

RADIO PARTS £ 19/10/0

0.25/400v. Paper Capacitors ... 1/6 Speaker Transformers ... 2/6 0.0005 pf. Mica Capacit's, doz. 6/-Little Portable Chassis ... 5/6 Little Portable Chassis 5/6 Senior Portable Chassis 5/6 Firestide-Five Chassis 7/6 Firestide-Five Chassis 7/6 5-Pin Plugs with Covers, doz. 6/-0.25/600v. Paper Capacitors 1/6 S-Pin Ceramic Sockets 1/6-Brown Mov. Coll Mic. Inserts 39/6 S-Valve Black Crackle Finish 9/11 Chassis
7-Valve Black Crackle Finish 11/6 6-Valve Black Crackle Finish 10/6

BARGAINS IN

ZEPHYR MATRIX BOARDS P/N 259 6 holes x 3 in. P/N 260 6 holes x 6 in. holes x 9 in /N 261 6 holes x 9 in. /N 262 6 holes x 12 in. /N 263 6 holes x 36 in. /N 264 7 holes x 3 in. /N 265 7 holes x 6 in. /N 267 7 holes x 9 in. /N 267 7 holes x 12 in. 15/8

P/N 267 7 holes x 12 in. P/N 268 7 holes x 36 in. P/N 269 9 holes x 36 in. P/N 270 9 holes x 6 in. P/N 271 9 holes x 6 in. P/N 272 9 holes x 12 in. P/N 273 9 holes x 12 in. P/N 273 9 holes x 36 in. 4/11 10/1 GLEN RADIO AC/DC

INVERTERS

50 watt Inverters: 12, 24, 32, 30, 110, 230v. DC input; 230v. 50 eyeles AC output, £279/6. 100 watt Inverters: 12, 24, 32, 30, 110, 230v. DC input; 230v. 30 eyeles AC output, £33/2/6. 150 watt Inverters: 12, 24, 32, 30, 116, 230v. DC input; 230v. 30 eyeles AC output, £37/1/3.

SAPPHIRE REPLACEMENT Styli to suit Collaro, B.S.R., Gar-rad, velvet action record changers and players. Easy to fit yourself.

COLLARO 4-SPEED RECORD CHANGER.

O-PLUS CRYSTAL SET "Q-Plus" Crystal Set, complete Headphones and Aerial, £4/19/6 "Q-Plus" Crystal Sets only £2/13/6

CRYSTAL SET BIIII.DERS

Single Gang Condensers
"Q-Plus" Headphones
Spring Terminals
Germanium Diodes:
OA70—OA73
OA81—OA85 1/2 ea. 6/1 ea. 7/1 ea. 8/6 ea. Jabel Crystal Coil 8/6 ea. Aerial Wire (100 ft.) 14/9 ea.

SCOPE SOLDERING

IRON SPARES

Bakelite Handles

Steel Barrels
Ceramic Beads
Retaining Nuts
Switch Nuts
Scope AC/DC 8v. 6-seconds
Soldering Iron £2,
Scope 230v. Transformer
1/8 in., 5/32 in., 3/16 in. Spin

Centre Rod Assemblies Steel Barrels

Carbons

COLLARO 4-SPEED HI-FI TRANSCRIPTION TURN-TABLE. £31/2/6

CONQUEST — the new Collaro 4-Speed Automatic Record Changer, £18/17/6

XMAS SPECIAL AVO 10,000 ohms-per-volt POCKET MULTIMETER £9/12/0 plus Tax.

ASTOR TV-1 3 in. Oscilloscope. Complete with graticule, etc. £65 plus 121/2 per cent. Tax.

COSSOR V.T.V.M. KIT SETS

£29/14/0 plus 1252 per cent. Sales Tax. Complete with instruction books, diagrams, & printed circuit.

PRONTO SOLDERING GUN

HOT IN FIVE SECONDS £6/10/0

METAL CABINETS

Set of 16 Drawers 48/6

B.S.R., Garrard Players and Changers £7 For Dual Players and Changers, std Sapphire, LP Diamond ... £7/11/6

HI-FIDELITY ELECTRO-STATIC TWEETERS available now, Price 32/6 THORENS

RECORD PLAYER CB83N Manual Player, variable speed adjustment, with 12 in turntable, easy weight adjustment.

£35/15/0

RECORD CHANGER CD43N Fully Automatic Changer, including pause control.

£59/10/0

SPECIAL BSR TU-9 6v. DC Turntable €9/19/9 BSR TU-9 230v. AC Turntable

... ... £7/10/0 High Quality "Brown" Headphones, Type "F"

60/- plus 25 per cent. Tax

SPECIAL LR.C. RESISTORS assorted values, 2/6 bag

STEREO RECORD PLAYING EQUIPMENT

£2/10/0

For the Finest Stereo and all other Record Playing Equipment.

We have everything for the HI-FI enthusiast

Call in and see our Mr. SAM HURREY-PHONE: FB 3711

290 LONSDALE STREET, MELBOURNE

FB 3711

